

Stationary Combustion Turbines NESHAP
Docket No. A-95-51
Category II-A
EPA Studies or Contractor Reports

<u>Document Number</u>	<u>Date Rcvd in Docket</u>	<u>Commentor, Addressee, Title or Description, etc.</u>	<u>Date of Document</u>
II-A-1		Emissions Assessment Of Conventional Stationary Combustion Systems; Volume II. Internal Combustion Sources. Prepared For: USEPA, Office of Research and Development, Washington, DC. Prepared By: C.C. Shih, J.W. Hamersma, D.G. Ackerman, R.G. Beimer, M.L. Kraft, and M.M. Yamada, TRW, Inc., Redondo Beach, California. Report Number: EPA-600/7-79-029c.	2/79
II-A-2		Final Draft, QA/QC Protocol, Version 2.0: Applying DQCs and DQA to MACT Standard Setting Decisions for CT and RICE. EPA Contract: 68D40091. Work Assignment# 96-09. RTI Task 91U-6342-109. Prepared for: EMC, RTP, NC. Prepared by: RTI, RTP, NC.	9/30/96

Stationary Combustion Turbines NESHAP
Docket No. OAR-2002-0060
Category II-A
EPA Studies or Contractor Reports

<u>Document Number</u>	<u>Date Rcvd in Docket</u>	<u>Commentor, Addressee, Title or Description, etc.</u>	<u>Date of Document</u>
II-A-3		Standards Support and Environmental Impact Statement. Volume 1: Proposed Standards of Performance for Stationary Gas Turbines. Prepared by: OAWM, OAQPS, EPA, RTP, NC. Document No. EPA-450/2-77-017a.	9/77
II-A-4		OAQPS Economic Analysis Resource Document. Prepared by: EPA:ISEG.	4/99
II-A-5		EPA Office of Compliance Sector Notebook Project: Profile of the Oil and Gas Extraction Industry. Prepared by: Office of Compliance, OECA, EPA, Washington, DC. Document No. EPA/310-R-99-006.	10/99
II-A-6		Economic Impact Analysis of the Proposed Stationary CT NESHAP. Final Report. Prepared for: J.L. Sorrels, EPA:ISEG, RTP, NC. Prepared by: M. Gallaher, A. O'Connor, and B. Depro, RTI, RTP, NC. EPA Contract No. 68-D-99-024. RTI Project No. 7647-004.385.	11/02

Stationary Combustion Turbines NESHAP
Docket No. A-95-51
Category II-B
EPA Factual Memoranda

<u>Document Number</u>	<u>Date Rcvd in Docket</u>	<u>Commentor, Addressee, Title or Description, etc.</u>	<u>Date of Document</u>
II-B-1		R. Howle and S. Anand, AGTI to CT NESHAP Project File. Review of CARB's Air Toxics Emission Data System Database -- CT.	9/29/95
II-B-2		A. Refik, AGTI to CT NESHAP and NSPS Project File. Memoranda. Identification of HAP Emissions Data for CT.	10/4/95
II-B-3		A. Refik, AGTI to R. Huntley, EPA:EMAD. Facsimile. Requesting list of references from AP-42 and FIRE database.	10/5/95
II-B-4		D. Bell, EPA:ESD to B. Lamason and C. Oldham, EPA:EMC. Review of HAP Emission Test Data for RICE and CT.	2/21/96
II-B-5		J. Camp and B. Richani AGTI to ICCR Project File. Memorandum. Questions Presented and Answered During the August 1, 1996 ICCR Satellite Broadcast and the July 24, 1996, Public Meeting.	9/10/96
II-B-6		B. Richani, J. Snyder, and J. Camp, AGTI to RICE and CT NESHAP and NSPS Project Files. Memorandum. Summary of Submitted Comments on the Proposed Criteria and HAP Emission Test Methods for Stationary RICE and CT.	9/27/96
II-B-7		J. Camp, AGTI to CT and RICE NESHAP Project Files. Assessment of Emissions Data Presented in GRI Report GRI-96/0009.2.	12/13/96
II-B-8		J. Snyder, AGTI to CT NESHAP and NSPS Project Files. Memorandum. Catalytica and GE's Test Combustion System.	4/16/97

Stationary Combustion Turbines NESHAP
Docket No. A-95-51
Category II-B
EPA Factual Memoranda

<u>Document Number</u>	<u>Date Rcvd in Docket</u>	<u>Commentor, Addressee, Title or Description, etc.</u>	<u>Date of Document</u>
II-B-9		D. Herndon, AGTI, to S. Roy, EPA:ESD. Memorandum. Formaldehyde Results for CT No. 42 at the SCE Coolwater Generating Station.	2/2/98
II-B-10		K. Leach, AGTI, to S. Roy, EPA:ESD. Memorandum. Refinements to the EPA Inventory Database for Stationary CTs.	2/22/99
II-B-11		K. Leach, AGTI, to S. Roy, EPA:ESD. Memorandum. Stationary CTs Emissions Database.	2/22/99
II-B-12		K. Leach, AGTI, to S. Roy, EPA:ESD. Memorandum. Summary of CO Catalyst Information-Gathering Phone Calls.	3/22/99
II-B-13		K. Leach, AGTI, to S. Roy, EPA:ESD. Memorandum. Stationary CTs Model Turbine Development.	5/14/99
II-B-14		K Leach, AGTI, to S. Roy, EPA:ESD. Memorandum. Stationary CTs Control Options Cost Information Summary.	5/14/99

Stationary Combustion Turbines NESHAP
Docket No. OAR-2002-0060
Category II-B
EPA Factual Memoranda

<u>Document Number</u>	<u>Date Rcvd in Docket</u>	<u>Commentor, Addressee, Title or Description, etc.</u>	<u>Date of Document</u>
II-B-15		S. McKee, J. Snyder, and B. Richani, AGTI to S. Roy, EPA:ESD. Memorandum. Proposed Definitions for Stationary CT.	1/6/00
II-B-16		M. Taylor, AGTI to S. Roy, EPA:ESD. Memorandum. Oxidation Catalysts.	5/19/00
II-B-17		K. Leach, M. Taylor, and J. Snyder, AGTI to S. Roy, EPA:ESD. Memorandum. Comparison of CO Oxidation Catalysts with the SCONOx™ System.	5/22/00
II-B-18		L. Sorrels, EPA:ISEG to S. Roy, EPA:ESD. Unfunded Mandates Reform Act Analysis for the Proposed CT NESHAP Rulemaking Under the CAA.	6/29/00
II-B-19		J. Snyder, AGTI to S. Roy, EPA:ESD. Memorandum. Latest Versions of CT Population Database and Emissions Database. Attachments: a) Population Database entitled SSLOF2v4.mdb on CD b) Emissions Database entitled ttestsv5_00.mdb on CD	7/20/00
II-B-20		W. Lamason, EPA:EMC, to R. Wayland, EPA:ESD. Memorandum. Voluntary Consensus Standard Results for the Turbine NESHAP Proposed Rule.	9/6/00

Stationary Combustion Turbines NESHAP
Docket No. OAR-2002-0060
Category II-B
EPA Factual Memoranda

<u>Document Number</u>	<u>Date Rcvd in Docket</u>	<u>Commentor, Addressee, Title or Description, etc.</u>	<u>Date of Document</u>
II-B-21		<p>S. Roy, EPA:ESD, to Air and Radiation Docket and Information Center. Memorandum. Projections of New CT for 5 Years After Proposal of the CT MACT.</p> <p>Attachments:</p> <ol style="list-style-type: none"> 1. EPA Regional Office CT Permit Summary (7/2000). 2. Catalyst Vendor Estimate of Catalyst Systems Installation. 	9/22/00
II-B-22		L. Sorrels, EPA:ISEG to S. Roy, EPA:ESD. Memorandum. Small Entity Impact Analysis Results Comparison for Proposed CT NESHAP.	11/28/00
II-B-23		J. Snyder, AGTI to S. Roy, EPA:ESD. Memorandum. Comparison of Emissions from Different Fuels for RICE and CT on a Mass per Heat Unit Basis.	3/27/01
II-B-24		S. Roy, EPA:ESD to Docket No. A-95-51. Memorandum. Oxidation Catalyst Costs for New Stationary CT.	9/27/01
II-B-25		C. Oldham, EPA:EMC, to R. Wayland, EPA:ESD. Formaldehyde Data from Stationary Gas Turbines.	11/08/01
II-B-26		J. Snyder and T. Ali, AGTI to S. Roy, EPA:ESD. Memorandum. Stationary CT Emissions Database Version 5.	1/21/02
II-B-27		S. Roy, EPA:ESD to Docket No. A-95-51. Memorandum. Hazardous Air Pollutant (HAP) Emission Control Technology for New Stationary CT.	4/03/02

Stationary Combustion Turbines NESHAP
Docket No. OAR-2002-0060
Category II-B
EPA Factual Memoranda

<u>Document Number</u>	<u>Date Rcvd in Docket</u>	<u>Commentor, Addressee, Title or Description, etc.</u>	<u>Date of Document</u>
II-B-28		M. Taylor and J. Snyder, AGTI to S. Roy, EPA:ESD. Memorandum. Rationale for Development of Subcategories for Stationary CT.	5/14/02
II-B-29		S. Roy, EPA:ESD to Docket No. A-95-51. Memorandum. Environmental Impacts of the Proposed CT MACT.	8/7/02
II-B-30		M. Taylor, AGTI to S. Roy, EPA:ESD. Memorandum. Cost Per Ton of Above-the-Floor MACT Options for Existing Stationary CT.	8/9/02
II-B-31		M. Taylor and J. Snyder, AGTI to S. Roy, EPA:ESD. Memorandum. Rationale for Development of MACT for Stationary CT.	8/9/02
II-B-32		J. Snyder, AGTI to S. Roy, EPA:ESD. Memorandum. Compliance for Stationary CT Equipped with SCR.	10/2/02
II-B-33		M. Taylor, AGTI to S. Roy, EPA:ESD. Memorandum. Cost Impacts Associated with Stationary CT MACT.	10/16/02
II-B-34		M. Taylor, AGTI to S. Roy, EPA:ESD. Memorandum. HAP Emission Factors for Stationary CT.	10/23/02
II-B-35		J. Snyder, AGTI, to S. Roy, EPA:ESD. Memorandum. Lean Pre-mix Turbine Test Reports.	10/31/02
II-B-36		J. Snyder, AGTI, to S. Roy, EPA:ESD. Memorandum. Lean Premix CT with CO Catalysts.	11/12/02

Stationary Combustion Turbines NESHAP
Docket No. A-95-51
Category II-C
EPA Correspondence to Outside Persons

<u>Document Number</u>	<u>Date Rcvd in Docket</u>	<u>Commentor, Addressee, Title or Description, etc.</u>	<u>Date of Document</u>
II-C-1		B. Richani, AGTI to D. Craft, Monterey Bay Unified APCD. Letter. Availability of Source Test Data on HAP Emissions for RICE and CT from Facilities in Monterey Bay District.	10/17/95
II-C-2		A. Refik, AGTI to J. DeGuzman, Sacramento AQMD. Letter. Availability of Source Test Data on HAP Emissions for RICE and CT from Facilities in Sacramento District	10/17/95
II-C-3		A. Refik, AGTI to J. Lathrop, San Joaquin Valley Unified APCD. Letter. Availability of Source Test Data on HAP Emissions for RICE and CT from Facilities in San Joaquin Valley District.	10/17/95
II-C-4		A. Refik, AGTI to D. Smith, YoloSolono AQMD. Letter. Availability of Source Test Data on HAP Emissions for RICE and CT from Facilities in YoloSolono District.	10/17/95
II-C-5		B. Richani, AGTI to T. Thomas, Ventura County APCD. Letter. Availability of Source Test Data on HAP Emissions for RICE and CT from Facilities in Ventura County District.	10/17/95
II-C-6		B. Richani, AGTI to B. Nishimura, Bay Area AQMD. Letter. Availability of Source Test Data on HAP Emissions from Facilities in Bay Area District.	10/18/95
II-C-7		B. Richani, AGTI to J. Petrini, Santa Barbara County APCD. Letter. Availability of Source Test Data on HAP Emissions from Facilities in Santa Barbara County District.	10/18/95

Stationary Combustion Turbines NESHAP
Docket No. A-95-51
Category II-C
EPA Correspondence to Outside Persons

<u>Document Number</u>	<u>Date Rcvd in Docket</u>	<u>Commentor, Addressee, Title or Description, etc.</u>	<u>Date of Document</u>
II-C-8		B. Richani, AGTI to B. Lee, Northern Sonoma APCD. Letter. Availability of Source Test Data on HAP Emissions for RICE and CT for the Northern Sonoma District.	10/24/95
II-C-9		A. Refik, AGTI to S. Arita, Western States Petroleum Association. Letter. Availability of Source Tests for HAP Emissions for RICE and CT Sponsored by Western States Petroleum Association.	10/26/95
II-C-10		A. Refik, AGTI to G. Snodgrass, ARCO Alaska, Inc. Letter. Availability of Source Tests for HAP and for Criteria Pollutant Emissions for RICE and CT.	11/1/95
II-C-11		B. Richani, AGTI to M. Feldstein, Bay Area AQMD. Letter. Requesting Source Test Data on HAP Emissions from RICE and CT for the Bay Area.	11/3/95
II-C-12		B. Richani, AGTI to L Stookey, Southwest Air Pollution Control Authority. Letter. Regarding ISO Correction Factor Documentation and Data Collection Efforts for the RICE and CT.	11/3/95
II-C-13		A. Refik, AGTI to E. Johnson, Stewart & Stevenson. Facsimile. Requesting Source Tests for HAP for RICE and CT Conducted by Stewart & Stevenson on the UC Berkeley Cogeneration Unit.	11/28/95
II-C-14		B. Richani, AGTI to CT Work Group. E-Mail. Location of HAP Emissions Database for Stationary CTs on the TTN.	4/10/97

Stationary Combustion Turbines NESHAP
Docket No. A-95-51
Category II-C
EPA Correspondence to Outside Persons

<u>Document Number</u>	<u>Date Rcvd in Docket</u>	<u>Commentor, Addressee, Title or Description, etc.</u>	<u>Date of Document</u>
II-C-15		S. Roy, EPA:ESD to CT Work Group. E-Mail. Draft Agenda for May 13 and 22 Meeting and a Draft Agenda Guidance on Reviewing the EPA Population and Emissions Database.	5/9/97

Stationary Combustion Turbines NESHAP
Docket No. A-95-51
Category II-C
EPA Correspondence to Outside Persons

<u>Document Number</u>	<u>Date Rcvd in Docket</u>	<u>Commentor, Addressee, Title or Description, etc.</u>	<u>Date of Document</u>
II-C-16		B. Richani, AGTI, to CT Work Group. Memorandum. Missing Information Gathered for Gas Turbines HAP Test Reports.	12/3/97
II-C-17		S. Roy, EPA:ESD, to C. Castronovo, CARB. Letter. Confirmation of Information Received During a Telephone Conversation Regarding Test Methods for HAPs.	4/13/98
II-C-18		S. Roy, EPA:ESD, to J. Callahan, Cal Energy Company, Inc. Letter. Summary of Telephone Conversation Regarding CO Oxidation Catalysts.	11/30/98

Stationary Combustion Turbines NESHAP
Docket No. OAR-2002-0060
Category II-C
EPA Correspondence to Outside Persons

<u>Document Number</u>	<u>Date Rcvd in Docket</u>	<u>Commentor, Addressee, Title or Description, etc.</u>	<u>Date of Document</u>
II-C-19		J. Sorrels, EPA:ISEG to F. Post, General Electric. Letter. Regarding CBI Procedures for Projections of New Turbines.	3/8/00
II-C-20		J. Sorrels, EPA:ISEG to J. Wilson, SWPC. Letter. Regarding CBI Procedures for Projections of New Turbines.	3/8/00
II-C-21		J. Sorrels, EPA:ISEG to K. Nolen, Solar Turbines, Inc. Letter. Regarding CBI Procedures for Projections of New Turbines.	3/8/00
II-C-22		S. Roy, EPA:ESD to B. Richani, GPPSD, Environmental and Acoustic Engineering. Letter. Regarding a requested document.	3/19/02

Stationary Combustion Turbines NESHAP
Docket No. A-95-51
Category II-D
EPA Correspondence From Outside Persons

<u>Document Number</u>	<u>Date Rcvd in Docket</u>	<u>Commentor, Addressee, Title or Description, etc.</u>	<u>Date of Document</u>
II-D-1		L. Traweek, AGA to S. Roy, EPA:ESD. Letter. Comments on NESHAP Streamlined Development: Announcement and Request for Comments; 60Fed. Reg. 16088.	3/29/95
II-D-2		J. McKie, Commonwealth of Virginia, Department of Environmental Quality to A. Refik, AGTI. Facsimile. Amended Permit with Equipment Specs, Original Application Support Document, and 1995 - Amended Application Form.	10/5/95
II-D-3		D. Vaughan, Commonwealth of Virginia, Department of Environmental Quality to A. Refik, AGTI. Facsimile. Permit pages for Gordonsville Energy L.P. and Toxic Air Pollutant Emission Factors for Utility Site Boilers.	10/6/95
II-D-4		S. Clayton, North Carolina, Duke Power to A. Refik. Facsimile. Fact Sheet on Duke Power Company, Lincoln CT Station.	10/6/95
II-D-5		D. Smith, YoloSolano AQMD to A. Refik, AGTI. Source test data for River Delta Cogen. Ltd., Located in West Sacramento, CA area.	10/23/95
II-D-6		T. Thomas, Ventura County APCD, to B. Richani, AGTI. District's Current Emission Factors for Oil and Gas Combustion Equipment.	11/1/95
II-D-7		R. McVaigh, San Joaquin Valley Unified APCD to A. Refik, AGTI. Compiling Information Regarding Source Test Data on HAP Emissions from RICE and CT.	11/3/95

Stationary Combustion Turbines NESHAP
Docket No. A-95-51
Category II-D
EPA Correspondence From Outside Persons

<u>Document Number</u>	<u>Date Rcvd in Docket</u>	<u>Commentor, Addressee, Title or Description, etc.</u>	<u>Date of Document</u>
II-D-8		D. Schott, Monterey Bay Unified APCD to B. Richani, AGTI. Report On Emissions Testing Of Cogeneration Engines #2 and #3 At The MRWPCA Wastewater Treatment Plant, Marina, California. Prepared By: Normandeau Associates, Inc., Richmond, California. January 29, 1993. This Report Can Be Found in Stationary Combustion Turbines, A-95-51, Number II-I-35.	11/20/95
II-D-9		R. McVaigh, San Joaquin Valley Unified APCD to A. Refik, AGTI. HAP Emissions References.	11/28/95
II-D-10		L. Traweek, AGA and J. McCarthy, GRI to S. Roy, EPA:ESD. Letter. Transmittal of two GRI Topical Reports Related to the RICE and CT MACT Standards Development. These Topical Reports can be found in Stationary Reciprocating Internal Combustion Engines, A-95-35, Number II-I-30.	5/2/96
II-D-11		J. Cassady, Pacific Gas Transmission to S. Roy, EPA:ESD. Letter. Comments On EPA's Proposed ICCR Definitions and Test Methods.	7/10/96
II-D-12		W. Brown, EMA to S. Roy, EPA:ESD. Letter. ICCR June 19th Correspondence.	7/12/96
II-D-13		J. McCarthy, GRI to S. Roy, EPA:ESD. Letter. CT Definitions and Test Methods.	7/19/96
II-D-14		L. Beal, Interstate Natural Gas Association of America to S. Roy and A. Agnew, EPA:ESD. Letter. CT Definitions and Test Methods. July 19, 1996.	7/19/96

Stationary Combustion Turbines NESHAP
Docket No. A-95-51
Category II-D
EPA Correspondence From Outside Persons

<u>Document Number</u>	<u>Date Rcvd in Docket</u>	<u>Commentor, Addressee, Title or Description, etc.</u>	<u>Date of Document</u>
II-D-15		G. Adams, Sanitation Districts of Los Angeles County to S. Roy, EPA:ESD. Letter. Comments on ICCR CT Definitions.	8/12/96
II-D-16		I. Atay, State of New Jersey to S. Roy and A. Agnew, EPA:ESD. Letter. Development of NESHAP for CT or RICE and/or Development of NSPS for RICE or the Revision of the NSPS for CT.	8/14/96
II-D-17		T. Boss, Interstate Natural Gas Association of America to S. Roy, EPA:ESD. Letter. Comments on CT Definitions Distributed by EPA on June 19, 1996.	8/19/96
II-D-18		T. Hunt, American Petroleum Institute to A. Agnew, EPA:ESD. Letter. June 19, 1996 and July 25, 1996 Comments on CT and RICE Definitions, Test Methods, and Generic Information Collection Plans.	8/19/96
II-D-19		S. Arita, Western States Petroleum Association to S. Roy and A. Agnew, EPA:ESD. Facsimile. WSPA Comments on EPA's Proposed Regulation Development for CTs and RICE.	8/19/96
II-D-20		L. Beal, Interstate National Gas Association of America to S. Roy and A. Agnew, EPA:ESD. Letter. Comments on Test Methods for RICE and CT and the Generic Information Collection Plan for the ICCR Distributed by EPA on June 19, 1996.	9/12/96

Stationary Combustion Turbines NESHAP
Docket No. A-95-51
Category II-D
EPA Correspondence From Outside Persons

<u>Document Number</u>	<u>Date Rcvd in Docket</u>	<u>Commentor, Addressee, Title or Description, etc.</u>	<u>Date of Document</u>
II-D-21		R. A. Lott, GRI to S. Roy, EPA:ESD. Attached: Topical Report - Gas-Fired Boiler and Turbine Air Toxics Summary Report, August 1996. Prepared by: Carnot Technical Services, Tustin, CA. Prepared for: EPRI and GRI. This Report Can Be Found in Stationary Combustion Turbines A-95-51, Number II-I-48.	9/12/96
II-D-22		G. Adams, Sanitation Districts of Los Angeles County to S. Roy, EPA:ESD. Facsimile. SCAQMD Rule 1402 Limit of Detection Protocol. November 12, 1996.	11/12/96
II-D-23		D. Dowdall, ICCR Small Engine Subgroup to S. Roy, EPA:ESD. Letter. Information Regarding Small IC Generating Units, enclosure 1, entitled " <i>Publicly Owned Electric Utilities: International Combustion Plants</i> ", enclosure 2 Information Regarding the Amount of Generation Produced by These Units. These Enclosures Can Be Found in Stationary Combustion Turbines, A-95-51, Number II-I-49.	12/20/96
II-D-24		J. Bueche, PowerData Group to B. Richani, AGTI. Facsimile. Summary of the Fields that could be Furnished for Gas Turbine Packages Both Mechanical and Electrical Drives.	4/2/97

Stationary Combustion Turbines NESHAP
Docket No. A-95-51
Category II-D
EPA Correspondence From Outside Persons

<u>Document Number</u>	<u>Date Rcvd in Docket</u>	<u>Commentor, Addressee, Title or Description, etc.</u>	<u>Date of Document</u>
II-D-25		C. Chang, Los Angeles Department of Water and Power to S. Roy, EPA:ESD. Letter with attached report entitled " <i>Formaldehyde, Acetaldehyde and Benzene Control Efficiency at Federal Cold Storage</i> " March 14, 1997. This Report Can Be Found in Stationary Combustion Turbines A-95-51, Number II-I-50.	4/14/97
II-D-26		C. Solt, Catalytica Combustion Systems, Inc. to S. Roy, EPA:ESD. Memoranda. CO or UHC as Surrogate for HAPS Emissions.	6/13/97
II-D-27		F. Booth, Engelhard to S. Roy, EPA:ESD. Facsimile. Engelhard Experience List CO Oxidation Catalysts on Gas Turbines.	11/24/97
II-D-28		K. Harris, Goalline to S. Roy, EPA:ESD. Letter. SCONO _x tm Cost Comparison Information.	6/15/98

Stationary Combustion Turbines NESHAP
Docket No. A-95-51
Category II-D
EPA Correspondence From Outside Persons

<u>Document Number</u>	<u>Date Rcvd in Docket</u>	<u>Commentor, Addressee, Title or Description, etc.</u>	<u>Date of Document</u>
II-D-29		C. Castronovo, CARB to S. Roy, EPA:ESD. Letter. Follow-up of April 13, 1998. Letter Regarding ARB HAP Test Methods.	5/4/98
II-D-30		B. Wernhoff, APPA to S. Roy, EPA:ESD. Letter. CTs Owned By Publicly Owned Utilities.	6/8/98
II-D-31		L. Flynn Coerr, Coerr Environmental Corp., to Task Group on Cost-Effectiveness for Turbines. Facsimile: Engelhard Article on Catalyst Efficiency.	8/17/98
II-D-32		G. Adams, LACSD, to S. Roy, EPA:ESD. Memorandum. Health Risk Analysis of the ICCR CT Emissions Database.	8/19/98

Stationary Combustion Turbines NESHAP
Docket No. OAR-2002-0060
Category II-D
EPA Correspondence From Outside Persons

<u>Document Number</u>	<u>Date Rcvd in Docket</u>	<u>Commentor, Addressee, Title or Description, etc.</u>	<u>Date of Document</u>
II-D-33		C. Chang, LADWP, to S. Roy, EPA:ESD. Facsimile. CO Catalyst Control of Formaldehyde.	8/14/97
II-D-34		S. Allen, Dow Chemical, to S. Roy, EPA:ESD. Facsimile. Calculation of Power Loss from a Gas Turbine.	7/23/98
II-D-35		D. Henderson, AGTI, to S. Roy, EPA:ESD. Facsimile. Exxon Cost Estimates.	7/23/98
II-D-36		T. Guth, Sunlaw Energy Corp. to S. Roy, EPA:ESD. Letter. Performance of the SCONOx™ Catalyst on Sunlaw's Federal Plant.	8/4/99
II-D-37		T. McGrath, GE Energy and Environmental Research Corp., to S. Roy, EPA:ESD. Letter. Site-Specific Test Plan and Quality Assurance Project Plan for GE Gas Turbine Aldehydes Emissions Testing. These Plans Can Be Found in Stationary CT Docket No. OAR-2002-0060, Nos. II-I-155 and 156.	4/13/00
II-D-38		L. Whitherspoon, Solar Corp., to J. Sorrels, EPA:ISEG. Letter. New CT Projections for Years 2000 to 2005. Note: This item is physically located in EPA's CBI files located in Research Triangle Park, NC.	4/18/00
II-D-39		T. Guth, Sunlaw Energy Corp. to B. Richani, AGTI. Facsimile. CEMS Outlet Data for SCONOx™ Catalyst.	5/3/00

Stationary Combustion Turbines NESHAP
Docket No. OAR-2002-0060
Category II-D
EPA Correspondence From Outside Persons

<u>Document Number</u>	<u>Date Rcvd in Docket</u>	<u>Commentor, Addressee, Title or Description, etc.</u>	<u>Date of Document</u>
II-D-40		C. Seabaugh, Sunlaw Energy Corp. to B. Richani, AGTI. E-mail. Inlet and Outlet CO and NOx Data for SCONOx™ Catalyst.	5/5/00
II-D-41		R. Finken, Delta Air Quality Services, to B. Richani, AGTI. Facsimile. Control Efficiency Testing of SCONOx™ Catalyst at Sunlaw Federal Plant.	5/8/00
II-D-42		R. Finken, Delta Air Quality Services, to B. Richani, AGTI. Letter with attached report entitled "Carbon Monoxide and Nitrogen Oxides Control Efficiency at Federal Cold Storage, May 4, 2000." This Report Can Be Found in Stationary CT Docket No. OAR-2002-0060, Number II-I-158.	6/5/00
II-D-43		J. Chalfin, GE, to S. Roy, EPA:ESD. Letter. New CT Projections for Years 2000 to 2005. Note: This item is physically located in EPA's CBI files located in Research Triangle Park, NC.	6/6/00
II-D-44		J. Wilson, Siemens/Westinghouse, to J. Sorrels, EPA:ISEG. Letter. New CT Projections for Years 2000 to 2005. Note: This item is physically located in EPA's CBI files located in Research Triangle Park, NC.	6/9/00
II-D-45		G. Smith, API, to S. Roy, EPA:ESD. Letter. Implementation of the 112(n)(4) Language in the Engine and Turbines MACT Rules.	8/10/00

Stationary Combustion Turbines NESHAP
Docket No. OAR-2002-0060
Category II-D
EPA Correspondence From Outside Persons

<u>Document Number</u>	<u>Date Rcvd in Docket</u>	<u>Commentor, Addressee, Title or Description, etc.</u>	<u>Date of Document</u>
II-D-46		C. Cambell, Xcel Energy, to J. Snyder, AGTI. Letter with attached report entitled:"Fort St. Vrain Station Unit No. 3 Heat Recovery Steam Generator Stack Emissions Report, January 13, 2000. This Report Can Be Found in Stationary CT Docket No. OAR-2002-0060, Number II-I-148.	1/29/01
II-D-47		<p>M. Bailey, Oregon Dept. of Environmental Quality, to S. Roy, EPA. Letter with attached reports entitled:</p> <p>1) Raytheon Constructors, Inc. Portland General Electric, Coyote Springs Power, November 1995,</p> <p>2) Bechtel Power Corp., Hermiston Generating Co., June 1996, Volume I, and</p> <p>3) Bechtel Power Corp., Hermiston Generating Co., June 1996, Volume II.</p> <p>These Reports Can Be Found in Stationary CT Docket No. OAR-2002-0060, Numbers II-I-108, 111, and 112, respectively.</p>	2/21/01

Stationary Combustion Turbines NESHAP
Docket No. OAR-2002-0060
Category II-D
EPA Correspondence From Outside Persons

<u>Document Number</u>	<u>Date Rcvd in Docket</u>	<u>Commentor, Addressee, Title or Description, etc.</u>	<u>Date of Document</u>
II-D-48		<p>B. Richani, GPPSD to S. Roy, EPA:ESD. Letter. HAPs Emissions Testing from GE's 7241 DLN Gas Turbines.</p> <p>Enclosures to the letter are: Aldehyde, CO and NOx Emissions Tests on GE 7FA Gas Turbines at Calpine Hidalgo Power Plant, Units 1 & 2. Prepared for: GE Global Power Plant Systems Department, Schenectady, NY. Prepared by: GE Energy & Environmental Research Corporation, Irvine, CA. Job No. 7611. Revision 2. July 6, 2001.</p> <p>Aldehyde, CO and NOx Emissions Tests on GE 7FA Gas Turbines at Calpine Hidalgo Power Plant, Units 1 & 2. Appendices. Prepared for: GE Global Power Plant Systems Department, Schenectady, NY. Prepared by: GE Energy & Environmental Research Corporation, Irvine, CA. Job No. 7611. November 21, 2000.</p> <p>Note: This item is physically located in EPA's CBI files located in Research Triangle Park, NC.</p>	7/31/01
II-D-49		L. Witherspoon, Solar Turbines, Inc. to J. Snyder, AGTI. E-mail. Digester Gas/Landfill Gas Question.	8/14/01
II-D-50		F. Booth, Engelhard Corp., to S. Roy, EPA:ESD. E-mail. CO Catalyst - New Stationary Source CT, Reference: Your memo of August 21 - Docket A-95-51.	8/29/01

Stationary Combustion Turbines NESHAP
Docket No. OAR-2002-0060
Category II-D
EPA Correspondence From Outside Persons

<u>Document Number</u>	<u>Date Rcvd in Docket</u>	<u>Commentor, Addressee, Title or Description, etc.</u>	<u>Date of Document</u>
II-D-51		F. Booth, Engelhard Corp., to J. Snyder, AGTI. E-mail. Englehard Letter of August 29, 2001 to Sims Roy, CO Catalyst - New Stationary Source CT, Reference: Your memo of August 21 - Docket A-95-51.	9/27/01
II-D-52		K. Hanks, RTI to Docket File. References presented in section VI.G of the proposal preamble.	10/7/02

Stationary Combustion Turbines NESHAP
Docket No. A-95-51
Category II-E
EPA Memoranda of Meetings and Telephone Conversations
With Outside Persons

<u>Document Number</u>	<u>Date Rcvd in Docket</u>	<u>Commentor, Addressee, Title or Description, etc.</u>	<u>Date of Document</u>
II-E-1		B. Richani, AGTI to J. Perczewski, NJ Bureau of Technical Services. Telecon. Test for HAP from IC and CT for NJ.	10/24/95
II-E-2		A. Refik, AGTI to E. Bowles, Radian Corp. Memoranda. Conference Call with Local Partners for CT NESHAP and NSPS.	10/30/95
II-E-3		B. Richani, AGTI to L. Stookey, Southwest Air Pollution. Telecon. Requesting four test reports which contain HAP data in the State of Washington.	11/3/95
II-E-4		B. Richani, AGTI to G. Pade, Puget Sound Air Pollution Control. Telecon. Availability of Northwest Pipeline Source Test.	11/7/95
II-E-5		S. Roy, EPA:ESD to Members of State and Local Partners for CT. Memoranda. Regarding Conference Call on October 14, 1995. Highlights on Conference Call.	11/7/95
II-E-6		A. Refik, AGTI to S. Arita, WSPA. Telecon. Regarding Two Pooled Tests for RICE and CT.	11/15/95
II-E-7		A. Refik, AGTI to S. Cohen, Records Administration, Puget Sound Air Pollution Control. Telecon. Obtaining Copies of Source Tests from North West Pipeline Company.	11/15/95
II-E-8		A. Refik, AGTI to L. Philips, Technical Support for E&S, Chevron, Gaviota, CA. Telecon. Obtaining Test Report from the CD-ROM.	11/27/95

Stationary Combustion Turbines NESHAP
Docket No. A-95-51
Category II-E
EPA Memoranda of Meetings and Telephone Conversations
With Outside Persons

<u>Document Number</u>	<u>Date Rcvd in Docket</u>	<u>Commentor, Addressee, Title or Description, etc.</u>	<u>Date of Document</u>
II-E-9		Memoranda: Summary of November 29, 1995 Meeting.	12/6/95
II-E-10		Summary of ICCR Source Work Group Meeting. RICE and CT. October 2, 1996 Full Minutes.	10/2/96
II-E-11		Summary of ICCR Source Work Group Meeting. Stationary CT Work Group. November 7, 1996 Full Minutes.	11/7/96
II-E-12		Summary of ICCR Source Work Group Meeting. Stationary CT Work Group. January 7, 1997 Full Minutes.	1/7/97
II-E-13		Summary of ICCR Source Work Group Meeting. Stationary CT Work Group. February 19, 1997 Flash Minutes.	2/19/97
II-E-14		Summary of ICCR Source Work Group Meeting. Stationary CT Work Group. March 12, 1997 Flash Minutes.	3/12/97
II-E-15		Summary of ICCR Source Work Group Meeting on March 18, 1997. Stationary CT Work Group. Full Minutes.	3/18/97
II-E-16		Summary of ICCR Source Work Group Meeting. April 23-24, 1997. Stationary CT Work Group. Full Minutes.	4/24/97
II-E-17		Summary of ICCR Source Work Group Meeting. Stationary CT Work Group. May 22, 1997 Full Minutes.	5/22/97
II-E-18		Summary of ICCR Source Work Group Teleconference. Stationary CT Work Group. June 24, 1997 Flash Minutes.	6/24/97

Stationary Combustion Turbines NESHAP
Docket No. A-95-51
Category II-E
EPA Memoranda of Meetings and Telephone Conversations
With Outside Persons

<u>Document Number</u>	<u>Date Rcvd in Docket</u>	<u>Commentor, Addressee, Title or Description, etc.</u>	<u>Date of Document</u>
II-E-19		Summary of ICCR Source Work Group Meeting, Long Beach, CA. Stationary CT Work Group. July 24, 1997 Full Minutes.	7/24/97
II-E-20		Summary of ICCR Turbine Technology Workshop, Long Beach, CA. Stationary CT Work Group. July 25, 1997 Flash Minutes.	7/25/97
II-E-21		Summary of ICCR Dioxin Subgroup Teleconference, August 21, 1997, 1:00 to 3:00 p.m. Stationary CT Work Group. Flash Minutes.	8/21/97
II-E-22		Summary of ICCR Source Work Group Meeting. Durham, NC. Stationary CT Work Group. September 18, 1997 Full Minutes.	9/18/97
II-E-23		Summary of ICCR Source Work Group Meeting Teleconference. Stationary CT Work Group. October 29, 1997 Flash Minutes.	10/29/97
II-E-24		Summary of ICCR Source Work Group Meeting. Stationary CT Work Group. November 20, 1997 Full Minutes.	11/20/97
II-E-25		Summary of ICCR Source Work Group Meeting Teleconference. Stationary CT Work Group. December 10, 1997 Flash Minutes.	12/10/97
II-E-26		Summary of ICCR Source Work Group Meeting Teleconference. Stationary CT Work Group. January 21, 1998 Flash Minutes.	1/21/98

Stationary Combustion Turbines NESHAP
Docket No. A-95-51
Category II-E
EPA Memoranda of Meetings and Telephone Conversations
With Outside Persons

<u>Document Number</u>	<u>Date Rcvd in Docket</u>	<u>Commentor, Addressee, Title or Description, etc.</u>	<u>Date of Document</u>
II-E-27		Summary of ICCR Source Work Group Meeting. Stationary CT Work Group. February 26, 1998 Full Minutes.	2/26/98
II-E-28		Summary of ICCR Source Work Group Meeting Teleconference. Stationary CT Work Group. March 18, 1998 Flash Minutes.	3/18/98
II-E-29		Summary of ICCR Source Work Group Meeting. Stationary CT Work Group. April 30, 1998 Full Minutes.	4/30/98
II-E-30		Summary of ICCR Source Work Group Meeting. Stationary CT Work Group. July 30, 1998 Full Minutes.	7/30/98

Stationary Combustion Turbines NESHAP
Docket No. OAR-2002-0060
Category II-E
EPA Memoranda of Meetings and Telephone Conversations
With Outside Persons

<u>Document Number</u>	<u>Date Rcvd in Docket</u>	<u>Commentor, Addressee, Title or Description, etc.</u>	<u>Date of Document</u>
II-E-31		J. Snyder, AGTI to G. Adams, LACSD. Telecon. Digester Gas Turbines with Oxidation Catalysts.	12/9/99
II-E-32		J. Snyder, AGTI to E. Wheless, LACSD. Telecon. Digester Gas Turbines with Oxidation Catalysts.	12/9/99
II-E-33		B. Richani, AGTI to F. Booth, Engelhard Corporation. Telecon. CO Catalysts for Gas Turbines.	12/13/99
II-E-34		J. Snyder, AGTI to H. Van Handel, Tosco Bayway Refinery. Telecon. Landfill Gas Turbines in CT Inventory Database.	4/17/00
II-E-35		J. Snyder, AGTI to R. Rosendorn, Coastal Eagle Point Oil Co. Telecon. Landfill Gas Turbines in CT Inventory Database.	4/18/00
II-E-36		B. Richani, AGTI to T. Guth, Sunlaw Energy Corp. Telecon. CO Emissions Data for the SCONOX™ System.	5/3/00
II-E-37		J. Snyder, AGTI to R. Waldrop, Dollarhide Gasoline Plant. Telecon. RICE in CT Inventory Database.	5/30/00
II-E-38		J. Snyder, AGTI to Multiple Small Businesses. Telecon. Small Businesses with Control Costs of Greater than One Percent of Sales/Revenues.	7/17/00
II-E-39		S. Roy, EPA:ESD, to Turbines and Engines Dockets. Memorandum. Meeting on 7/25/00 with API Regarding Section 112(n)(4) Issues for CT and RICE MACT.	7/31/00

Stationary Combustion Turbines NESHAP
Docket No. OAR-2002-0060
Category II-E
EPA Memoranda of Meetings and Telephone Conversations
With Outside Persons

<u>Document Number</u>	<u>Date Rcvd in Docket</u>	<u>Commentor, Addressee, Title or Description, etc.</u>	<u>Date of Document</u>
II-E-40		S. Roy, EPA:ESD, to F. Booth, Engelhard Corp. Telecon. Oxidation Catalyst System for CT.	8/24/00
II-E-41		J. Snyder, AGTI, to F. Booth, Engelhard Corp. Telecon. Verification of Cost Information for 90% CO reduction for turbines.	9/27/01
II-E-42		J. Snyder, AGTI, to D. Gerspacher, Rosemont Analytical, Process Analytic Division. Telecon. Retrofit or Timeshare a CEMS.	4/22/02
II-E-43		J. Snyder, AGTI, to P. Kaufmann, Clean Air Engineering. Telecon. Retrofit or Timeshare a CEMS.	4/22/02

Stationary Combustion Turbines NESHAP
Docket No. OAR-2002-0060
Category II-F
Interagency Review Materials

<u>Document Number</u>	<u>Date Rcvd in Docket</u>	<u>Commentor, Addressee, Title or Description, etc.</u>	<u>Date of Document</u>
II-F-1		S. Roy, EPA:ESD to E. Haxthausen, OMB. Memorandum. Submittal of the EIA and RIA for CT MACT. Attachments are located in Docket No. OAR-2002-0060 as items numbered II-A-6 and II-A-7.	8/10/00
II-F-2		S. Roy, EPA:ESD. Memorandum. OMB August 8, 2000 Submittal. Attachments: 1. Memo from Perciasepe to Farrell dated August 2, 2000. 2. Proposal preamble and regulation for CT MACT.	9/12/00
II-F-3		S. Roy, EPA:ESD. Memorandum. OMB August 23, 2000 Meeting and Submittal. Attachments: 1. Slide presentation on the CT MACT. 2. Revised proposal preamble and regulation for CT MACT.	9/12/00

Stationary Combustion Turbines NESHAP
Docket No. OAR-2002-0060
Category II-F
Interagency Review Materials

<u>Document Number</u>	<u>Date Rcvd in Docket</u>	<u>Commentor, Addressee, Title or Description, etc.</u>	<u>Date of Document</u>
II-F-4		<p>R. Wayland, EPA:ESD to E. Haxthausen, OMB. Letter. Additional information request from August 23, 2000 Meeting.</p> <p>Attachments: A. US EPA Permit Data Information B. Oxidation Catalyst Vendor-Supplied Information C. CO Nonattainment Area Information D. Engelhard Corporation Memo</p> <p>Technical Memoranda #1-13 were also attached. Many of these are located elsewhere in Docket No. OAR-2002-0060. Locations are given below.</p> <ol style="list-style-type: none"> 1. II-B-30 2. II-K-13 3. II-B-12 is newer version. Older one is included here. 4. II-B-24 5. II-B-11 6. II-B-10 is newer version. Older one is included here. 7. II-B-13 8. II-B-24 9. II-B-27 10. II-B-15 11. II-B-17 12. II-B-31 13. II-B-28. 	9/1/00
II-F-5		L. Rayford and A. Perez, SBA, to E. Hauxthausen, OMB. Letter. Preliminary Questions regarding EPA's Proposal concerning NESHAP for Stationary CTs.	9/29/00

Stationary Combustion Turbines NESHAP
Docket No. OAR-2002-0060
Category II-F
Interagency Review Materials

<u>Document Number</u>	<u>Date Rcvd in Docket</u>	<u>Commentor, Addressee, Title or Description, etc.</u>	<u>Date of Document</u>
II-F-6		R. Wayland, EPA:ESD to E. Haxthausen, OMB. Letter. Reply to A. Perez and L. Rayford's E-mail questions of 10/3/00. Attachments: 1. Memorandum entitled "CO Removal Efficiency as a surrogate for HAP Removal Efficiency-SI LB Clean Gaseous Fueled Engines and CI Engines Using an Oxidation Catalyst." 2. Memorandum entitled "Comparison of CO Oxidation Catalysts with the SCONOX System."	10/18/00
II-F-7		L. Rayford, SBA to R. Wayland, EPA:ESD. Facsimile. Stationary CT MACT Followup Questions.	11/8/00
II-F-8		R. Wayland, EPA:ESD, to E. Haxthausen, OMB. Letter. Response to 11/15/00 E-mail Questions from SBA.	11/20/00
II-F-9		M. Froehlich, Associate Deputy Administrator of EPA to M. Daniels, Director of OMB. Letter. Re: Withdrawal of EPA Actions from OMB Review.	2/14/01
II-F-10		S. Roy, EPA:ESD to B. Allen, OMB. E-mail. Submittal of proposed preamble and regulation for CT MACT.	8/23/02
II-F-11		S. Roy, EPA:ESD to B. Allen, OMB. E-mail. Submittal of draft Economic Impact Analysis for CT MACT.	8/23/02
II-F-12		S. Roy, EPA:ESD to B. Allen, OMB. E-mail. OMB Information Request for CT MACT.	8/23/02
II-F-13		S. Roy, EPA:ESD to B. Allen, OMB. E-mail. GTA Turbine Models.	10/3/02

Stationary Combustion Turbines NESHAP
Docket No. OAR-2002-0060
Category II-F
Interagency Review Materials

<u>Document Number</u>	<u>Date Rcvd in Docket</u>	<u>Commentor, Addressee, Title or Description, etc.</u>	<u>Date of Document</u>
II-F-14		B. Allen, OMB to R. Wayland, EPA:ESD. E-mail. Turbines Questions.	10/7/02
II-F-15		S. Roy, EPA:ESD to B. Allen, OMB. E-mail. Answers to OMB Questions on Turbines.	10/17/02
II-F-16		S. Roy, EPA:ESD to B. Allen, OMB. E-mail. Replies to Turbine MACT Questions.	10/30/02
II-F-17		S. Roy, EPA:ESD to B. Allen, OMB. E-mail. Responses to CT MACT Comments.	10/31/02
II-F-18		S. Roy, EPA:ESD to B. Allen, OMB. E-mail. Responses to CT MACT Comments.	11/7/02
II-F-19		S. Roy, EPA:ESD to B. Allen, OMB. E-mail. CT Addition Regarding Dual-Fuel LPC Turbines.	11/14/02

Stationary Combustion Turbines NESHAP
Docket No. A-95-51
Category II-I
References Not Readily Available to Public Elsewhere

<u>Document Number</u>	<u>Date Rcvd in Docket</u>	<u>Commentor, Addressee, Title or Description, etc.</u>	<u>Date of Document</u>
II-I-1		Evaluation Test On A Natural Gas Fired Turbine Cogeneration Facility. Prepared For: University Technical Services, Inc., Taft, CA. Prepared By: CARB.	1/89
II-I-2		Emissions Inventory Testing At Long Beach CT No. 3. Prepared For: Southern CA Edison Co., Rosemead, CA. Prepared By: Carnot, Tustin, CA.	5/89
II-I-3		Gas Turbine Emission Testing For McClure Generating Station. Prepared For: Modesto Irrigation District, Modesto, CA. Prepared By: Acurex Corp., Mountain View, CA. Acurex Project Number: 6581.	12/18/89
II-I-4		Report of Air Pollution Source Testing For California AB2588 At The Kern River Cogeneration Co., Bakersfield, CA. Prepared For: Kern County APCD, Bakersfield, CA. Prepared By: Engineering-Science, Inc., Pasadena, CA.	3/28/90
II-I-5		Air Toxics Emissions Inventory Testing At Coolwater Generating Station CT No. 42. Prepared For: Southern CA Edison Co., Rosemead, CA. Prepared By: Carnot, Tustin, CA.	5/90
II-I-6	9/25/97	Emission Tests on the Solar Turbine at Puente Hills Landfill. Prepared For: Los Angeles County Sanitation District. Prepared By: Carnot, Tustin, CA.	6/90

Stationary Combustion Turbines NESHAP
Docket No. A-95-51
Category II-I
References Not Readily Available to Public Elsewhere

<u>Document Number</u>	<u>Date Rcvd in Docket</u>	<u>Commentor, Addressee, Title or Description, etc.</u>	<u>Date of Document</u>
II-I-7		AB2588 Pooled Source Emission Test Program, Volume I, Summary Report. Prepared For: Western States Petroleum Assoc., Glendale, CA. Prepared By: The Almega Corp. Report Number: I6551-4.	7/9/90
II-I-8		AB2588 Testing At University Technical Services, Petro-Lewis Cogeneration Plant, Taft, CA. Prepared For: University Technical Services, San Diego, CA. Prepared By: Pape & Steiner Environmental Services, Bakersfield, CA. Report Number: PS-90-2183.	8/90
II-I-9		Emission Testing At Gilroy Energy Co. Tested July 10 and 11, 1990. Prepared For: Gilroy Energy Co, Gilroy, CA. Prepared By: Pape & Steiner Environmental Services, Bakersfield, CA. Report Number PS-90-2235.	8/90
II-I-10		Air Pollution Source Testing For California AB2588 On A Heat Recovery Steam Generator At Chevron U.S.A., Inc., Gaviota, CA. Tested On: April 20, 1990. Prepared For: Chevron U.S.A., Inc., Ventura, CA. Prepared By: Engineering-Science, Pasadena, CA. Report Number: WA128.	8/30/90
II-I-11	9/25/97	Emission Tests on the Natco Turbine at Puente Hills Landfill, July 1990. Prepared For: Los Angeles County Sanitation District. Prepared By: Carnot, Tustin, CA.	9/90
II-I-12		AB 2588 Testing For South Bay Unit 2 and Kearny GT-1. Tested: April 23 to May 22, 1990. Prepared By: T. Reel, San Diego Gas & Electric.	10/90

Stationary Combustion Turbines NESHAP
Docket No. A-95-51
Category II-I
References Not Readily Available to Public Elsewhere

<u>Document Number</u>	<u>Date Rcvd in Docket</u>	<u>Commentor, Addressee, Title or Description, etc.</u>	<u>Date of Document</u>
II-I-13		Determination of PAH, Formaldehyde, CO, and NO _x Emissions From Turbine Unit #2 At The Modesto Irrigation District, McClure Road Generation Station, Modesto, CA. Prepared For: Modesto Irrigation District, Modesto, CA. Prepared By: Ecoserve, Pittsburg, CA. Report Number: 1425.	11/28/90
II-I-14	9/25/97	Emission Tests on the Solar Turbine at Puente Hills Landfill, December 1990. Prepared For: Los Angeles County Sanitation District. Prepared By: Carnot, Tustin, CA.	2/91
II-I-15		Source Test Report AB2588, Choachella Power Plant, Turbine #1. Test Dates: January 1-4, 1991. Parameters Measured: Arsenic, Beryllium, Cadmium, Chromium, Copper, Lead, Magnesium, Mercury, Nickel, Selenium, Zinc, Benzene, Formaldehyde, and PAH Emissions. Prepared For: Imperial Irrigation District, Imperial, CA. Prepared By: South Coast Environmental Co., La Verne, CA. Report Number: T1248.	2/25/91
II-I-16		Metals, PAH & Benzene, Emissions Measurements - COGEN Exhaust Stack, Response to AB2588 Toxic "Hot Spots" Act, ARCO Products, Carson, CA. Prepared For: ARCO Products Company, Carson, CA. Prepared By: The Almaga Corp. Report Number: C6774-1.	3/19/91

Stationary Combustion Turbines NESHAP
Docket No. A-95-51
Category II-I
References Not Readily Available to Public Elsewhere

<u>Document Number</u>	<u>Date Rcvd in Docket</u>	<u>Commentor, Addressee, Title or Description, etc.</u>	<u>Date of Document</u>
II-I-17		AB2588 Emission Test Report, Procter & Gamble, Sacramento Cogeneration Facility. Prepared For: Procter and Gamble Manufacturing Company, Sacramento, CA. Submittal To: Sacramento Municipal AQMD, Sacramento, CA. Prepared By: M. L. Schmitt, Carnot, Tustin, CA. Report Number: CR 11300-2324.	4/91
II-I-18		Emissions Testing of a Gas-Fired Cogeneration Facility to Satisfy AB 2588 Requirements, Bonneville Pacific Corp. Prepared For: Reese Chamber Systems Consultants, Inc., Somis, CA. Prepared By: Horizon Air Measurement Services, Newbury Park, CA. Report Number: R03-002-FR.	6/25/91
II-I-19	9/25/97	CARB. Identification of VOC Species Profiles. ARB Speciation Manual, Second Edition, Volume 1.	8/91
II-I-20	9/25/97	CARB. Identification of Particulate Matter Species Profiles. ARB Speciation Manual, Second Edition, Volume 2.	8/91
II-I-21		Emission Measurements for Speciated PAHs and BTXE Compounds on Gas Fired Turbine and Steam Generator. Prepared For: Shell Western E & P, Bakersfield, CA. Prepared By: The Almaga Corp. Report Number: C6823-2.	8/1/91
II-I-22		AB2588 Toxic Emission Testing. Prepared For: Willamette Industries, Inc., Port Hueneme, CA. Prepared By: BTC Environmental, Inc., Ventura, CA. Report Number: 23002.	10/21/91

Stationary Combustion Turbines NESHAP
Docket No. A-95-51
Category II-I
References Not Readily Available to Public Elsewhere

<u>Document Number</u>	<u>Date Rcvd in Docket</u>	<u>Commentor, Addressee, Title or Description, etc.</u>	<u>Date of Document</u>
II-I-23	9/25/97	Emissions Tests on the Solar Turbine at Puente Hills Landfill, August 1991. Prepared For: Los Angeles County Sanitation District. Prepared By: Carnot, Tustin, CA.	11/91
II-I-24		Emission Performance Testing Of One Cogeneration Turbine. Site: 32nd Street Naval Station, San Diego, CA. Prepared For: Sithe Energies, U.S.A., Inc., San Diego, CA. Prepared By: T. Rooney, Western Environmental Services, Redondo Beach, CA. May 1991, Revised November 1991.	11/91
II-I-25		Determination Of Emissions From The Cogeneration Unit At UC Berkeley, Berkeley, CA. Test Date: August 22, 1991. Prepared For: Stewart and Stevenson, Berkeley, CA. Prepared By: Ecoserve Air Quality Management Consultants, Pittsburgh, CA. September 25, 1991, revision November 6, 1991. Report Number: 1747.	11/6/91
II-I-26	9/25/97	Emissions Test on the Natco Turbine at Puente Hills Landfill, November 1991. Prepared For: Los Angeles County Sanitation District. Prepared By: Carnot, Tustin, CA.	12/91
II-I-27	9/28/97	CARB. Stationary Source Test Methods. Methods for Determining Emissions of Toxic Air Contaminants from Stationary Sources. Volume 3.	12/13/91

Stationary Combustion Turbines NESHAP
Docket No. A-95-51
Category II-I
References Not Readily Available to Public Elsewhere

<u>Document Number</u>	<u>Date Rcvd in Docket</u>	<u>Commentor, Addressee, Title or Description, etc.</u>	<u>Date of Document</u>
II-I-28		Emissions Testing From a Gas-Fired Cogeneration Facility To Determine Benzene Concentration. Prepared For: Willamette Industries, Oxnard, CA. Prepared By: Horizon Air Measurement Services, Inc. Report Number: W09-001-FR.	1/16/92
II-I-29		Air Toxic Emissions Testing of a Natural Gas Fired Turbine At Sycamore Cogeneration Co., Bakersfield, CA. Test Date: May 27, 1992. Prepared For: Sycamore Cogeneration Co., Bakersfield, CA. Prepared By: Engineering-Science, Inc., Bakersfield, CA. Report Number WA005.07.	6/30/92
II-I-30		AB2588 Toxic Emissions Test Results On A Gas-Fired Cogeneration Facility, DEXZEL Combined Cycle Facility. Prepared For: Diamond (DEXZEL) Energy, Inc., Los Angeles, CA. Prepared By: Horizon Air Measurement Services, Inc.	7/8/92
II-I-31	9/25/97	Measurement of Emissions Total Energy Facility Gas Turbines. Prepared For: Los Angeles County Sanitation District. Prepared By: Calscience Environmental Laboratories, Inc. Performed at Joint Water Pollution Control Plant, Carson, CA.	8/17/92
II-I-32		Source Test Report For The Texaco Heater Treater, The Mobil Steam Generator, and The Swepi Gas Turbine In The San Joaquin Valley Unified APCD, CA. Final: Vol. I. Prepared For: Western States Petroleum Assoc., Bakersfield, CA. Prepared By: Radian Corp., Sacramento, CA. DCN: 92-256-227-02, RCN: 256-227-04-00.	9/4/92

Stationary Combustion Turbines NESHAP
Docket No. A-95-51
Category II-I
References Not Readily Available to Public Elsewhere

<u>Document Number</u>	<u>Date Rcvd in Docket</u>	<u>Commentor, Addressee, Title or Description, etc.</u>	<u>Date of Document</u>
II-I-33		Emissions Source Test Conducted at the Agnews Cogeneration Facility, Plant #6044. Prepared For: Bay Area AQMD, San Francisco, CA. Prepared By: Calpine Corp., San Jose, CA.	10/7/92
II-I-34	9/25/97	Emissions Test on the Solar Turbine at Puente Hills Landfill, October 1992. Prepared For: Los Angeles County Sanitation District. Prepared By: Carnot, Tustin, CA.	1/93
II-I-35		Report on Emissions Testing of Cogeneration Engines #2 and #3 at the MRWPCA Wastewater Treatment Plant, Marina, CA. Prepared For: MRWPCA, Marina, CA. Prepared By: Normandeau Assoc., Inc., Richmond, CA. Reference: Normandeau Assoc., Inc., Project No. 13380.00.	1/29/93
II-I-36	9/25/97	Measurement of Emissions Total Energy Facility No. 1, Digester Gas Inlet. Prepared For: Los Angeles County Sanitation District. Prepared By: Calscience Environmental Laboratories, Inc. Performed at Joint Water Pollution Control Plant, Carson, CA.	3/19/93
II-I-37		Compliance Source Test Report, Watsonville Cogeneration, GE LM2500 Gas Fired Turbine, APCD #5052. Date Tested: May 5, 6, & 10 1993. Prepared For: Watsonville Cogeneration Partnership, Bonneville Pacific Services, Inc., Watsonville, CA. Prepared By: Petro Chem Environmental Services, Inc., Bakersfield, CA.	6/2/93

Stationary Combustion Turbines NESHAP
Docket No. A-95-51
Category II-I
References Not Readily Available to Public Elsewhere

<u>Document Number</u>	<u>Date Rcvd in Docket</u>	<u>Commentor, Addressee, Title or Description, etc.</u>	<u>Date of Document</u>
II-I-38		AB2588 Air Toxics Emission Testing Natural Gas Fired Turbine, Sargent Canyon Cogeneration Co., San Ardo, CA. Test Date: May 5, 1993. Prepared For: Sargent Canyon Cogeneration Co., Bakersfield, CA. Submittal To: Monterey Bay Unified APCD, Monterey, CA. Prepared By: Engineering-Science, Inc., Bakersfield, CA. Report Number: WA343.	7/1/93
II-I-39	9/25/97	Emission Tests on the Natco Turbine at Puente Hills Landfill, September 1993. Prepared For: Los Angeles County Sanitation District. Prepared By: Carnot, Tustin, CA. Report Number: LACID-10242/R023D105.T	11/93
II-I-40	9/25/97	Emissions Tests on the Solar Turbine at Puente Hills Landfill, September 1993. Prepared For: Los Angeles County Sanitation District. Prepared By: Carnot, Tustin, CA. Report Number: LACID-10242/R023D107.T	11/93
II-I-41		NOx and VOC Species Profiles for Gas Fired Stationary Combustion Sources. Volume One. Prepared For: CARB. Prepared By: EER.	1/19/94
II-I-42	9/25/97	Emissions Test on the Natco Turbine at Puente Hills Landfill, November 1994. Prepared For: Los Angeles County Sanitation District. Prepared By: Carnot, Tustin, CA.	12/94

Stationary Combustion Turbines NESHAP
Docket No. A-95-51
Category II-I
References Not Readily Available to Public Elsewhere

<u>Document Number</u>	<u>Date Rcvd in Docket</u>	<u>Commentor, Addressee, Title or Description, etc.</u>	<u>Date of Document</u>
II-I-43	9/25/97	California EPA, ARB Research Division. NOx and VOC Species Profiles For Gas Fired Stationary Combustion Sources. Volume 2: Field and Sampling Data.	1/95
II-I-44	9/25/97	Emissions Test on the Solar Turbine at Puente Hills Landfill, March 1995. Prepared For: Los Angeles County Sanitation District. Prepared By: Carnot, Tustin, CA.	4/95
II-I-45		Formaldehyde And Ammonia Emissions At The Outlet Of The General Electric Turbine At Calpine Corp. Cogeneration Facility In Sumas, Washington. Prepared For: Calpine Corp., Sumas, Washington. Prepared By: AmTest Air Quality, Inc., Preston, Washington.	8/31/95
II-I-46	9/25/97	Emissions Test on the Solar Turbine at Puente Hills Landfill, November 21, 1995. Prepared For: Los Angeles County Sanitation District. Prepared By: Carnot, Tustin, CA.	1/96
II-I-47		L. Traweek, American Gas Assoc. to S. Roy, EPA:ESD. Transmittal of Two GRI Topical Reports Related to the RICE and CT MACT Standards Development. This Document Can Be Found in Stationary Reciprocating Internal Combustion Engines, Category I, Number II-I-30.	5/2/96
II-I-48		"GRI-95/0200" Gas-Fired Boiler and Turbine Air Toxics Summary Report. Prepared For: GRI, Chicago, Illinois and Electric Power Research Institute, Palo Alto, CA. Prepared By: Carnot Technical Services, Tustin, CA.	8/96

Stationary Combustion Turbines NESHAP
Docket No. A-95-51
Category II-I
References Not Readily Available to Public Elsewhere

<u>Document Number</u>	<u>Date Rcvd in Docket</u>	<u>Commentor, Addressee, Title or Description, etc.</u>	<u>Date of Document</u>
II-I-49		Information Regarding Small IC Generating Units, enclosure I, entitled " <i>Publicly Owned Electric Utilities: Internal Combustion Plants</i> ," enclosure 2, Information Regarding the Amount of Generation Produced by These Units.	12/20/96
II-I-50	1/15/98	Formaldehyde, Acetaldehyde, and Benzene Control Efficiency at Federal Cold Storage March 14, 1997. Prepared For: Sunlaw Energy Corp., Los Angeles, CA. Prepared By: Delta Air Quality Services, Orange, CA.	4/2/97

Stationary Combustion Turbines NESHAP
Docket No. A-95-51
Category II-I
References Not Readily Available to Public Elsewhere

<u>Document Number</u>	<u>Date Rcvd in Docket</u>	<u>Commentor, Addressee, Title or Description, etc.</u>	<u>Date of Document</u>
II-I-51		Test Report for the Engineering Testing (November 15 and 19, 1993). Prepared By: Carnot, Boulder, CO.	2/94
II-I-52		Test Report for the Compliance and Engineering Testing, Unit A (November 18, 1993). Prepared By: Carnot, Boulder, CO.	2/94
II-I-53		Test Report for the Engineering Testing (November 29-December 1, 1993). Prepared For: Pacific Gas Transmission Company. Prepared By: Carnot, Boulder, CO.	3/94
II-I-54		Test Report for the Engineering Testing Near Rosalia, WA (December 2-6, 1993). Prepared By: Carnot, Boulder, CO.	3/94
II-I-55		Test Report for the Engineering Testing at Unit A on December 7 and 8, 1993. Prepared For: Gas Research Institute, Chicago, IL. Prepared By: Carnot, Boulder, CO and Tustin, CA.	5/94
II-I-56		Topical Report, Preliminary Study of Oxidation Catalyst Costs Applied to Gas Turbines for Control of Aldehydes. Gas Research Institute. Prepared by: Radian International LLC. GRI - 98/0218.	6/01/98
II-I-57		Preliminary Results from Natural Gas-Fired CT Testing. Gas Research Institute, American Petroleum Institute.	8/01/98

Stationary Combustion Turbines NESHAP
Docket No. OAR-2002-0060
Category II-I
References Not Readily Available to Public Elsewhere

<u>Document Number</u>	<u>Date Rcvd in Docket</u>	<u>Commentor, Addressee, Title or Description, etc.</u>	<u>Date of Document</u>
II-I-58		Modern Petroleum: A Basic Primer of the Industry. Bill D. Berger and Kenneth E. Anderson. Tulsa, OK: The Petroleum Publishing Co.	1978
II-I-59		Guide to Natural Gas Cogeneration. Hay, Nelson E., ed. Lilburn, GA: The Fairmont Press, Inc.	1988
II-I-60		AMOCO Production Co. Morganza Field CTB #1 & Sweetening Facility, Morganza, LA, Oxides of Nitrogen, CO, & Opacity, Source # 87-4. Prepared For: AMOCO Production Co. Prepared By: Emission Testing Services, Inc., Baton Rouge, LA.	6/28/88
II-I-61		GE Gas Turbine Cogeneration Facility Emission Compliance Test Program, Fina Oil & Chemical Co., Port Arthur, TX. Prepared For: Fina Oil & Chemical Co., Port Arthur, TX. Prepared By: ARI Environmental, Inc., Arlington Heights, IL.	2/7/89
II-I-62		Cogeneration Partners Riverside Hospital Cogeneration Unit, Toledo, OH, Emission Test Report. Prepared By: Monarch Analytical Laboratories, Inc., Toledo, OH.	6/15/89
II-I-63		Report of Oxides of Nitrogen Compliance Emission Determination of the Cogeneration System. Prepared For: Tastykake Co., Philadelphia, PA. Prepared By: BCM Engineers Inc., Plymouth Meeting, PA. Project Number: 00-5058-04.	10/1/89

Stationary Combustion Turbines NESHAP
Docket No. OAR-2002-0060
Category II-I
References Not Readily Available to Public Elsewhere

<u>Document Number</u>	<u>Date Rcvd in Docket</u>	<u>Commentor, Addressee, Title or Description, etc.</u>	<u>Date of Document</u>
II-I-64		Emissions Test Report GE Frame 3 Gas Turbine, Tennessee Gas Pipeline Station 17, East Bernard, TX. Prepared For: Texas Air Control Board. Prepared By: Tenneco Gas Technical Services Dept., Houston, TX.	1/31/90
II-I-65		Test Report on Exhaust Emissions from Westinghouse B-8 Gas Turbine & Heat Recovery Boiler at the Exxon Baytown Refinery Boilerhouse 6. Prepared For: Exxon Company U.S.A. Prepared By: Cubix Corp., Austin, TX.	7/1/90
II-I-66		Report On Source Emissions Testing Conducted For Oakland Scavenger. Prepared For: Oakland Scavenger, Livermore, CA. Prepared By: TMA/Norcal, Richmond, CA. Reference TMA/Norcal C.N. 5-410.	7/5/90
II-I-67		Emission Testing at Coalinga Cogeneration Plant. Prepared For: Shell Western Exploration & Production, Inc., Bakersfield, CA. Prepared By: Pape & Steiner Environmental Services, Bakersfield, CA. Report Number PS-90-2284.	10/1/90
II-I-68		Air Pollutant Compliance Test Report, Stationary Gas Turbines 001 & 002, Hanover Compressor Station. Prepared For: Algonquin Gas Transmission Co., Boston, MA. Prepared By: TRC Environmental Consultants, East Hartford, CT. Project Number 7638-E31.	11/1/90

Stationary Combustion Turbines NESHAP
Docket No. OAR-2002-0060
Category II-I
References Not Readily Available to Public Elsewhere

<u>Document Number</u>	<u>Date Rcvd in Docket</u>	<u>Commentor, Addressee, Title or Description, etc.</u>	<u>Date of Document</u>
II-I-69		Emissions Test Results at Compressor Station 6, Unit A Near Rosalia, WA. Prepared For: Pacific Gas Transmission Co., San Francisco, CA. Prepared By: Carnot, Tustin, CA. CR 82100-2265R.	1/1/91
II-I-70		Emission Testing at Coalinga Cogeneration Plant. Prepared For: Shell Western Exploration & Production, Bakersfield, CA. Prepared By: Steiner Environmental, Inc., Bakersfield, CA. Report PS-91-2367.	2/1/91
II-I-71		Report of Annual Air Pollution Compliance Testing of a Gas Turbine Cogeneration Units, Conducted at: Sycamore Cogeneration Co., Bakersfield, CA. Prepared For: Sycamore Cogeneration Co., Bakersfield, CA. Prepared By: Engineering-Science, Inc., Irwindale, CA.	2/18/91
II-I-72		Compliance Source Test Report - Rosalia, WA Station 6 - Unit A. Prepared For: Pacific Gas Transmission Co., San Francisco, CA. Prepared By: Petro Chem Environmental Services, Inc., Bakersfield, CA.	4/10/91
II-I-73		Test Report on Exhaust Emissions from Two Westinghouse Model W301-G Gas Turbines at the Sun Oil Refinery in Philadelphia, PA. Prepared For: Sun Refining & Marketing Co., Philadelphia, PA. Prepared By: Cubix Corp., Austin TX.	5/1/91

Stationary Combustion Turbines NESHAP
Docket No. OAR-2002-0060
Category II-I
References Not Readily Available to Public Elsewhere

<u>Document Number</u>	<u>Date Rcvd in Docket</u>	<u>Commentor, Addressee, Title or Description, etc.</u>	<u>Date of Document</u>
II-I-74		Acrico Cogeneration Corp., San Joaquin, CA Dryer & Gas Turbine Emission Tests. Prepared For: Acrico Cogeneration Corp., San Joaquin CA. Prepared By: Genesis Environmental Services Co., Bakersfield, CA. Report Number 777-0263.	6/12/91
II-I-75		Source Sampling Report for Measurement of NOx & CO Emissions, CT Units 11, 21, & 22, Philadelphia Electric Co., Croydon Generating Station, Croydon, PA. Prepared By: Gilbert/Commonwealth, Inc., Reading, PA. Report Number R-04-6314-000.	8/1/91
II-I-76		CT Emissions Test Report for City Utilities of Springfield, MO. Twin-Pac CTs Nos. 1 & 2, Southwest Power Station. Prepared For: City Utilities of Springfield, MO. Prepared By: Total Source Analysis, Inc., Wellington, OH.	8/6/91
II-I-77		Determination of Formaldehyde and Acetaldehyde in Emissions from Stationary Sources. California Air Resources Board.	12/13/91
II-I-78		Air Pollution Source Testing at Chalk Cliff Limited Cogeneration Facility, Maricopa, CA. Prepared For: Destec Operating Co., Bakersfield, CA. Prepared By: Engineering- Science, Inc., Bakersfield, CA.	12/23/91
II-I-79		1992 Census of Mineral Industries, Industry Series: Crude Petroleum and Natural Gas. U.S. Department of Commerce, Bureau of the Census. MIC92-I-13A. Washington, DC: U.S. Department of Commerce.	1992

Stationary Combustion Turbines NESHAP
Docket No. OAR-2002-0060
Category II-I
References Not Readily Available to Public Elsewhere

<u>Document Number</u>	<u>Date Rcvd in Docket</u>	<u>Commentor, Addressee, Title or Description, etc.</u>	<u>Date of Document</u>
II-I-80		1992 Census of Mineral Industries, Industry Series: Natural Gas Liquids. U.S. Department of Commerce, Bureau of the Census. MIC92-I-13B. Washington, DC: U.S. Department of Commerce.	1992
II-I-81		1992 Census of Mineral Industries, Industry Series: Oil and Gas Field Services. U.S. Department of Commerce, Bureau of the Census. MIC92-I-13C. Washington, DC: U.S. Department of Commerce.	1992
II-I-82		Emission Source Tests at the High Sierra Limited Cogeneration Facility, Kern County, CA. Prepared For: Destec Operating Co. Prepared By: Petro Chem Environmental Services, Bakersfield, CA.	2/16/92
II-I-83		Emission Source Tests at the Kern Front Limited Cogeneration Facility in Kern County, CA. Prepared For: Destec Operating Co., Kern County, CA. Prepared By: Petro Chem Environmental Services, Inc., Bakersfield, CA.	2/23/92
II-I-84		Emission Test Report for Transcontinental Gas Pipe Line Corp., Station Number 515, Bear Creek, PA. Prepared For: Transcontinental Gas Pipe Line Corp., Houston, TX. Prepared By: Scott Environmental Technology, Plumsteadville, PA.	3/1/92

Stationary Combustion Turbines NESHAP
Docket No. OAR-2002-0060
Category II-I
References Not Readily Available to Public Elsewhere

<u>Document Number</u>	<u>Date Rcvd in Docket</u>	<u>Commentor, Addressee, Title or Description, etc.</u>	<u>Date of Document</u>
II-I-85		Emissions Testing Reciprocating Compressor & Stationary Gas Turbine, Columbia Gulf Transmission Co., Rayne, LA. Prepared For: Columbia Gulf Transmission Co., Rayne, LA. Prepared By: CEM Division, Entropy Environmentalists, Inc., RTP, NC.	3/1/92
II-I-86		Air Pollution Source Testing at the Kern Front Limited Cogeneration Facility, Bakersfield, CA. Prepared For: Destec Operating Co., Bakersfield, CA. Prepared By: Engineering-Science, Inc., Bakersfield, CA.	3/6/92
II-I-87		Source Testing of 3 Natural Gas Fired Turbines at the SEKR Cogeneration Facility, Bakersfield, CA. Prepared For: Shell Western Exploration & Production, Inc., Bakersfield, CA. Prepared By: Engineering-Science, Inc., Bakersfield, CA.	4/27/92
II-I-88		Chevron U.S.A. 26C Cogeneration Plant Unit Numbers 1, 2, 3, & 4 Annual Compliance Test. Prepared For: Chevron U.S.A. Inc., Bakersfield, CA. Prepared By: Genesis Environmental Services Co., Bakersfield, CA. Report Number 7777-0361.	7/15/92
II-I-89		Emission Source Tests at the Chalk Cliff Cogeneration Facility, Maricopa, CA. Prepared For: Destec Operating Co. Prepared By: Petro Chem Environmental Services, Inc., Bakersfield, CA.	12/15/92

Stationary Combustion Turbines NESHAP
Docket No. OAR-2002-0060
Category II-I
References Not Readily Available to Public Elsewhere

<u>Document Number</u>	<u>Date Rcvd in Docket</u>	<u>Commentor, Addressee, Title or Description, etc.</u>	<u>Date of Document</u>
II-I-90		Emission Source Tests at the Double C Limited Cogeneration Facility, Kern County, CA. Prepared For: Destec Operating Co., Kern County, CA. Prepared By: Petro Chem Environmental Services, Inc., Bakersfield, CA.	2/9/93
II-I-91		Test Report for Air Emissions Testing & Relative Accuracy Audit at the SEKR Cogeneration Facility Bakersfield, CA. Prepared For: Shell Western Exploration & Production, Inc., Bakersfield, CA. Prepared By: Engineering-Science, Inc., Bakersfield, CA.	2/11/93
II-I-92		Source Test Report - Four 75 MW Gas Turbines Kern River Cogeneration Co., Bakersfield, CA. Prepared For: Kern River Cogeneration Co., Bakersfield, CA. Prepared By: Engineering-Science, Inc., Bakersfield, CA.	3/9/93
II-I-93		Source Test Report - Four 75 MW Gas Turbines Sycamore Cogeneration Co., Bakersfield, CA. Prepared For: Sycamore Cogeneration Co., Bakersfield CA. Prepared By: Engineering-Science, Inc., Bakersfield, CA.	3/12/93
II-I-94		Source Test Report & Relative Accuracy Audit Single Natural Gas Fired Turbine Coalinga Cogeneration Co., Coalinga, CA. Prepared For: Coalinga Cogeneration Co., Bakersfield, CA. Prepared By: Engineering-Science, Inc., Bakersfield, CA.	4/1/93

Stationary Combustion Turbines NESHAP
Docket No. OAR-2002-0060
Category II-I
References Not Readily Available to Public Elsewhere

<u>Document Number</u>	<u>Date Rcvd in Docket</u>	<u>Commentor, Addressee, Title or Description, etc.</u>	<u>Date of Document</u>
II-I-95		Emission Source Tests at the Live Oak Limited Cogeneration Facility, Bakersfield, CA. Prepared For: Destec Operating Co., Bakersfield, CA. Prepared By: Petro Chem Environmental Services Inc., Bakersfield, CA.	4/22/93
II-I-96		Emission Source Testing at the Vandenberg Power Plant Located at Vandenberg Air Force Base in Lompoc, CA. Prepared By: Petro Chem Environmental Services Inc., Bakersfield, CA. Report Number 098-303.	5/11/93
II-I-97		Compliance and Relative Accuracy Testing Turbine SCR Inlet/Outlet & Diverter Valve District Permit # 7418, Gaviota Oil & Gas Processing Plant, Gaviota, CA. Prepared For: Chevron U.S.A. Production Co., Goleta, CA. Prepared By: Engineering-Science, Inc., Bakersfield, CA.	6/4/93
II-I-98		Test Report for the Initial Compliance Testing at the PGT Compressor Station 7, Unit C, Near Starbuck, WA. Prepared For: Pacific Gas Transmission Co., San Francisco, CA. Prepared By: Carnot, Concord, CA.	7/1/93
II-I-99		Source Emission Evaluation - Roosevelt Compressor Station Solar Taurus T7000 Natural Gas Turbine. Prepared For: Northwest Pipeline Corp., Klickitat County, WA. Prepared By: Am Test-Air Quality, Inc., Preston, WA.	11/8/93

Stationary Combustion Turbines NESHAP
Docket No. OAR-2002-0060
Category II-I
References Not Readily Available to Public Elsewhere

<u>Document Number</u>	<u>Date Rcvd in Docket</u>	<u>Commentor, Addressee, Title or Description, etc.</u>	<u>Date of Document</u>
II-I-100		Source Emission Evaluation - Willard Compressor Station Solar Turbines, Inc. Centaur-H T5500 Natural Gas Turbines. Prepared For: Northwest Pipeline Corp., Willard, WA. Prepared By: Am Test-Air Quality, Inc., Preston, WA.	11/8/93
II-I-101		Compliance Source Test Report for U.S. Borax & Chemical Corp. Boron Facility 48 MW Cogeneration Facility. Prepared For: U.S. Borax & Chemical Corp., Boron, CA. Prepared By: Titan Environmental, Bakersfield, CA. Project 450-039.	12/29/93
II-I-102		Test Report for the 1994 Initial Compliance & Monitor Certification Testing on the SOLONox Combustor (Unit A) at PGT Compressor Station 6 Near Rosalia, WA. Prepared For: Pacific Gas Transmission Co., San Francisco, CA. Prepared By: Carnot, Boulder, CO.	10/1/94
II-I-103		Source Emission Evaluation - Willard Compressor Station Solar Turbines, Inc. Centaur-H T5500 Natural Gas Turbines. Prepared For: Northwest Pipeline Corp., Willard, WA. Prepared By: Am Test-Air Quality, Inc., Preston, WA.	11/8/94
II-I-104		Test Results from the Engineering Testing at PGT Compressor Station 6, Unit A. Prepared For: Pacific Gas Transmission Co., San Francisco, CA. Prepared By: Carnot, Concord, CA.	11/18/94

Stationary Combustion Turbines NESHAP
Docket No. OAR-2002-0060
Category II-I
References Not Readily Available to Public Elsewhere

<u>Document Number</u>	<u>Date Rcvd in Docket</u>	<u>Commentor, Addressee, Title or Description, etc.</u>	<u>Date of Document</u>
II-I-105		The Natural Gas Industry: Evolution, Structure, and Economics. 2nd Edition. Arlon R. Tussing and Bob Tippee. Tulsa, OK: PennWell Publishing Company.	1995
II-I-106		Test Report for the Relative Accuracy Test Audit at PGT Compressor Station 6, Unit A, Near Rosalia, WA. Prepared For: Pacific Gas Transmission Co., San Francisco, CA. Prepared By: Carnot, Tustin, CA.	5/1/95
II-I-107		Test Report for the Annual Compliance & Monitor Certification Testing at the PGT Compressor Station 6, Unit A, Near Rosalia, Washington. Prepared For: Pacific Gas Transmission Co., San Francisco, CA. Prepared By: Carnot, Boulder, CO.	10/1/95
II-I-108		Raytheon Constructors, Inc., @ Portland General Electric, Coyote Springs Power Generation Project, Auxiliary Boiler, General Electric Frame 7F(A) Turbine, Boardman, Oregon, November 16-20, 1995. AmTest-Air Quality, LLC. Revised Report.	1/15/96
II-I-109		U.S. Energy Product Supply Elasticities: A Survey and Application to the U.S. Oil Market. Carol Dahl and Thomas E. Duggan. Resource and Energy Economics 18:243-263.	1996
II-I-110		Electric Power Annual, 1995. Volumes I and II. U.S. Department of Energy, Energy Information Administration (EIA). DOE/EIA-0348(95)/1. Washington, DC: U.S. Department of Energy.	7/96

Stationary Combustion Turbines NESHAP
Docket No. OAR-2002-0060
Category II-I
References Not Readily Available to Public Elsewhere

<u>Document Number</u>	<u>Date Rcvd in Docket</u>	<u>Commentor, Addressee, Title or Description, etc.</u>	<u>Date of Document</u>
II-I-111		Volume I of II: Bechel Power Corp. @ Hermiston Generating Company L.P.'s Hermiston Generating Project, General Electric Frame 7FA Turbines, Hermiston, Oregon, June 13-15, 17, 20-21, and 23, 1996. AmTest-Air Quality, LLC. Final Report.	7/9/96
II-I-112		Volume II of II: Bechel Power Corp. @ Hermiston Generating Company L.P.'s Hermiston Generating Project, General Electric Frame 7FA Turbines, Hermiston, Oregon, June 13-15, 17, 20-21, and 23, 1996. AmTest-Air Quality, LLC. Final Report.	7/9/96
II-I-113		Compliance Test Report. Prepared For: Black & Veatch. Tested Gas Turbine 2 at Fort St. Vrain, Platteville, CO. Test Dates: April 23, 28, 29 and May 2, 1996. Issue Date: August 2, 1996. Tested by: SCEC, Orange, CA.	8/02/96
II-I-114		The Changing Structure of the Electric Power Industry: An Update. U.S. Department of Energy, Energy Information Administration. (EIA). DOE/EIA-0562(96). Washington, DC: U.S. Department of Energy.	12/96
II-I-115		Nitrogen Oxides and Carbon Monoxide Emissions Tests, Federal Cogeneration Facility. Prepared For: Sunlaw Energy Corp., Los Angeles, CA. Prepared By: Delta Air Quality Services, Orange, CA.	1/16/97

Stationary Combustion Turbines NESHAP
Docket No. OAR-2002-0060
Category II-I
References Not Readily Available to Public Elsewhere

<u>Document Number</u>	<u>Date Rcvd in Docket</u>	<u>Commentor, Addressee, Title or Description, etc.</u>	<u>Date of Document</u>
II-I-116		Financial Statistics of Major U.S. Investor-Owned Electric Utilities, 1996. U.S. Department of Energy, Energy Information Administration (EIA). Washington, DC: U.S. Department of Energy.	12/97
II-I-117		Crude Petroleum and Natural Gas. Kevin Lillis. The U.S. Industry and Trade Outlook '98. New York: DRI/McGraw-Hill, Standard & Poor's, and U.S. Department of Commerce/International Trade Administration. pp. 3-1 to 3-8.	1998
II-I-118		Ward's Business Directory of U.S. Private and Public Companies 1998, Volume 5. Scott F. Heil, Ed. Detroit, MI: Gale Research Inc.	1998
II-I-119		Statistical Yearbook of the Electric Utility Industry 1997. Edison Electric Institute (EEI). November. Washington, DC.	1998
II-I-120		Electricity Production and Sales. Haltmaier, Susan. In U.S. Industry & Trade Outlook '98, DRI/McGraw-Hill, Standard & Poor's, and U.S. Department of Commerce/International Trade Administration. New York: McGraw-Hill.pp. 5-1 to 5-9.	1998
II-I-121		Electric Power Annual, 1998. Volumes I and II. U.S. Department of Energy, Energy Information Administration (EIA). Washington, DC: U.S. Department of Energy.	1998

Stationary Combustion Turbines NESHAP
Docket No. OAR-2002-0060
Category II-I
References Not Readily Available to Public Elsewhere

<u>Document Number</u>	<u>Date Rcvd in Docket</u>	<u>Commentor, Addressee, Title or Description, etc.</u>	<u>Date of Document</u>
II-I-122		Model Documentation Report: Industrial Sector Demand Module of the National Energy Modeling System. Washington, DC: U. S. Department of Energy.	1/98
II-I-123		The Changing Structure of the Electric Power Industry: Selected Issues, 1998. U.S. Department of Energy, Energy Information Administration (EIA). DOE/EIA-0562(98). Washington, DC: U.S. Department of Energy.	7/98
II-I-124		B. Reyes, Goal Line Environmental Technologies LLC: Applications, to S. Allen, Dow Chemical. Letter. Re: NOx and CO Catalyst and their Application for HAP Reduction.	7/8/98
II-I-125		Compliance Test Report, Prepared For: Black & VEATCH, Kansas City, Mo. Equipment Tested: Unit 2, Combined Cycle Operations, Fort St. Vrain Power Plant, Platteville, Co. Test Dates: June 23-26, 1998. Issue Date: 9/98. Tested by: SCEC.	9/30/98
II-I-126		Improving Compressor Station Performance: Getting at the Heart of the Matter. Michael Whelan. < http://www.gri.org/pub/content/sep/19990923/145119/wtcompressor12.html >.	12/98
II-I-127		Financial Statistics of Major Publicly Owned Electric Utilities, 1997. U.S. Department of Energy, Energy Information Administration (EIA). Washington, DC: U.S. Department of Energy.	12/98

Stationary Combustion Turbines NESHAP
Docket No. OAR-2002-0060
Category II-I
References Not Readily Available to Public Elsewhere

<u>Document Number</u>	<u>Date Rcvd in Docket</u>	<u>Commentor, Addressee, Title or Description, etc.</u>	<u>Date of Document</u>
II-I-128		Turnkey Combined Cycle Plant Budget Price Levels. 1998-99 GTW Handbook. Fairfield, CT: Pequot Pub. Pgs 19-26.	1999
II-I-129		Natural Gas 1998: Issues and Trends. U.S. Department of Energy, Energy Information Administration. Washington, DC: U.S. Department of Energy.	4/99
II-I-130		Source Emissions Testing Report, New Century Energies, Public Service Co. of Colorado: Fort St. Vrain, Unit #3 Bypass, Platteville, Colorado. Testing, Inc. Denver, Salt Lake City. Test Dates: March 15-19, 1999.	4/19/99
II-I-131		Petroleum Supply Annual 1998, Volume I. U.S. Department of Energy, Energy Information Administration. Washington DC: U.S. Department of Energy.	6/99
II-I-132		Resource Data International. 1999. "PMA Online Top 25 Power Marketer Rankings." Power Marketers Online Magazine. < http://www.powermarketers.com/top25a.htm > As obtained on August 11, 1999.	8/11/99
II-I-133		Presentation. Siemens Westinghouse.	8/31/99
II-I-134		1997 Economic Census, Mining, Industry Series: Drilling Oil and Gas Wells. U.S. Department of Commerce, Bureau of the Census. EC97N-2131A. Washington, DC: U.S. Department of Commerce.	9/99
II-I-135		Natural Gas Annual 1998. U.S. Department of Energy, Energy Information Administration. Washington, DC: U.S. Department of Energy.	10/99

Stationary Combustion Turbines NESHAP
Docket No. OAR-2002-0060
Category II-I
References Not Readily Available to Public Elsewhere

<u>Document Number</u>	<u>Date Rcvd in Docket</u>	<u>Commentor, Addressee, Title or Description, etc.</u>	<u>Date of Document</u>
II-I-136		1997 Economic Census, Mining, Industry Series: Support Activities for Oil and Gas Operations. U.S. Department of Commerce, Bureau of the Census. EC97N-2131B. Washington, DC: U.S. Department of Commerce.	10/99
II-I-137		GE Power Plants. General Electric Corporation. <www.ge.com>. As obtained on November 3, 1999.	11/3/99
II-I-138		Fossil Power Generation. Siemens. <www.siemens.de/kwv/e/foa/f/products/gvd.htm>. As obtained on November 3, 1999.	11/3/99
II-I-139		EIA Sees Cheaper Power, Rising Carbon, Less Nukes. Reuters News Service. November 10, 1999.	11/10/99
II-I-140		Competitive Electricity Price Projections. <http://www.eia.doe.gov/oia/elepri97/chap3.html>. U.S. Department of Energy, Energy Information Administration (EIA), Office of Integrated Analysis and Forecasting. As obtained on November 15, 1999.	11/15/99
II-I-141		1997 Economic Census, Mining, Industry Series: Crude Petroleum and Natural Gas Extraction. U.S. Department of Commerce, Bureau of the Census. EC97N-2111A. Washington, DC: U.S. Department of Commerce.	12/99

Stationary Combustion Turbines NESHAP
Docket No. OAR-2002-0060
Category II-I
References Not Readily Available to Public Elsewhere

<u>Document Number</u>	<u>Date Rcvd in Docket</u>	<u>Commentor, Addressee, Title or Description, etc.</u>	<u>Date of Document</u>
II-I-142		1997 Economic Census, Mining, Industry Series: Natural Gas Liquid Extraction. U.S. Department of Commerce, Bureau of the Census. EC97N-2111b. Washington, DC: U.S. Department of Commerce.	12/99
II-I-143		The Changing Structure of the Electric Power Industry 1999: Mergers and Other Corporate Combinations. U.S. Department of Energy, Energy Information Administration (EIA). Washington, DC: U.S. Department of Energy.	12/99
II-I-144		U.S. Crude Oil, Natural Gas, and Natural Gas Liquids Reserves 1998 Annual Report. U.S. Department of Energy, Energy Information Administration. Washington, DC: U.S. Department of Energy.	12/99
II-I-145		Supplement Tables to the AEO 2000. U.S. Department of Energy, Energy Information Administration (EIA). < http://www.eia.doe.gov/oiaf/aeo/supplement/index.html >. As obtained on June 20, 2000 .	12/17/99
II-I-146		1997 Economic Census, Transportation and Warehousing: Geographic Area Series. U.S. Department of Commerce, Bureau of the Census. EC97T48A-US. Washington, DC: Government Printing Office.	1/00

Stationary Combustion Turbines NESHAP
Docket No. OAR-2002-0060
Category II-I
References Not Readily Available to Public Elsewhere

<u>Document Number</u>	<u>Date Rcvd in Docket</u>	<u>Commentor, Addressee, Title or Description, etc.</u>	<u>Date of Document</u>
II-I-147		Model Documentation Report: Industrial Sector Demand Module of the National Energy Modeling System. U.S. Department of Energy, Energy Information Administration (EIA). DOE/EIA-M064(2000). Washington, DC: U.S. Department of Energy.	1/00
II-I-148		Test Report for Particulates, formaldehyde, nitrogen oxides, carbon monoxide and VOC measurements. Fort St. Vrain Station, Unit No. 3, Heat Recovery Steam Generator (HRSG) stack. Conducted for New Century Energies Complan, PSCO by Airtech Environmental Services, Inc. January 13, 2000.	1/13/00
II-I-149		The Rise of the Power Marketer. Edison Electric Institute (EEI). < http://www.eei.org/issues/comp-reg/6riseofp.htm >. As obtained on August 11, 1999.	2/00
II-I-150		Annual Mileage Totals: Transmission & Distribution. U.S. Department of Transportation, Office of Pipeline Safety (OPS). As obtained on March 22, 2000. < http://ops.dot.gov/gtannual.htm >.	3/22/00
II-I-151		Transportation of Natural Gas. Natural Gas Supply Association (NGSA), Independent Petroleum Association of America, National Ocean Industries Association, and International Centre for Gas Technology Information. < http://www.naturalgas.org/TRANS.htm >. As obtained on March 22, 2000.	3/22/00

Stationary Combustion Turbines NESHAP
Docket No. OAR-2002-0060
Category II-I
References Not Readily Available to Public Elsewhere

<u>Document Number</u>	<u>Date Rcvd in Docket</u>	<u>Commentor, Addressee, Title or Description, etc.</u>	<u>Date of Document</u>
II-I-152		Storage of Natural Gas. Natural Gas Supply Association (NGSA), Independent Petroleum Association of America, National Ocean Industries Association, and International Centre for Gas Technology Information. < http://www.naturalgas.org/STOR2.htm >. As obtained on March 22, 2000 .	3/22/00
II-I-153		Natural Gas Production. Natural Gas Supply Association (NGSA), Independent Petroleum Association of America, National Ocean Industries Association, and International Centre for Gas Technology Information. < http://www.naturalgas.org/PRODUCT.HTM > . As obtained on March 22, 2000 .	3/22/00
II-I-154		Office of Pipeline Safety (OPS), U.S. Department of Transportation. 2000. "Annual Mileage Totals: Transmission & Distribution." < http://www.ops.dot.gov/gtannual.html >As obtained March 22, 2000.	3/22/00
II-I-155		Aldehydes and Carbon Monoxide Emissions Testing of General Electric 7FA Gas Turbines at the Duke Power-Hidalgo Power Plant. Quality Assurance Project Plan. Prepared For: GE Global Power Plant Systems Department, Schenectady, NY. Prepared By: GE Energy and Environmental Research Corp., Irvine, CA.	4/12/00

Stationary Combustion Turbines NESHAP
Docket No. OAR-2002-0060
Category II-I
References Not Readily Available to Public Elsewhere

<u>Document Number</u>	<u>Date Rcvd in Docket</u>	<u>Commentor, Addressee, Title or Description, etc.</u>	<u>Date of Document</u>
II-I-156		Aldehydes and Carbon Monoxide Emissions Testing of General Electric 7FA Gas Turbines at the Duke Power-Hidalgo Power Plant. Site Specific Test Plan. Prepared For: GE Global Power Plant Systems Department, Schenectady, NY. Prepared By: GE Energy and Environmental Research Corp., Irvine, CA.	4/12/00
II-I-157		Hoover's Online—Energy Industry Snapshot. Elaine Conces. As obtained on April 18, 2000. < http://www.hoovers.com/industry/snapshot/0,2204,16,00.html >.	4/18/00
II-I-158		Carbon Monoxide and Nitrogen Oxides Control Efficiency at Federal Cold Storage. Prepared For: Sunlaw Energy Corp., Los Angeles, CA. Prepared By: Delta Air Quality Services, Orange, CA.	6/00
II-I-159		Electricity Supply & Demand Database and Software. North American Electric Reliability Council (NERC). Princeton, NJ: North American Electric Reliability Council.	7/00
II-I-160		Hoover's Company Profiles. Hoover's Incorporated. Austin, TX: Hoover's Incorporated. < http://www.hoovers.com/ >.	8/14/00
II-I-161		Greenhouse Gas Technology Information Exchange. < www.greentie.org >. As obtained on November 3, 1999.	8/14/00

Stationary Combustion Turbines NESHAP
Docket No. OAR-2002-0060
Category II-I
References Not Readily Available to Public Elsewhere

<u>Document Number</u>	<u>Date Rcvd in Docket</u>	<u>Commentor, Addressee, Title or Description, etc.</u>	<u>Date of Document</u>
II-I-162		Annual Energy Outlook 1999—Market Trend—Electricity. U.S. Department of Energy, Energy Information Administration (EIA). < http://www.eia.doe.gov/oiaf/aeo99/electricity.html >. As accessed November 15, 1999.	8/15/00
II-I-163		Electric Power Annual 1999. U.S. Department of Energy, Energy Information Administration. Washington, DC: U.S. Department of Energy.	10/00
II-I-164		Competitive Electricity Price Projections. Electricity Prices in a Competitive Environment: A Preliminary Analysis Through 2015.< http://www.eia.doe.gov/oiaf/elepri97/chap3.1.html > as accessed on December 13, 2000.	12/13/00
II-I-165		Local Governments Turn to Municipal Aggregation. J. Cliburn. Public Power Magazine.	1-2/01
II-I-166		J. McCarthy, Gas Technology Institute to D. Bloudoff, California Air Resources Board. Letter. Practical Quantitation Limit for Formaldehyde Using CARB Method 430.	4/10/02
II-I-167		New Developments Impacting Air Pollution Construction Permitting for New CT. H. Ellis and M. Hirtler. EM Magazine.	7/02
II-I-168		Hoover's Company Profiles. Hoover's Incorporated. Austin, TX: The Lowdown on Energy. Hoover's Incorporated. < http://www.hoovers.com/industry/snapshot/profile/0,3519,16,00.html >	8/7/02

Stationary Combustion Turbines NESHAP
Docket No. OAR-2002-0060
Category II-I
References Not Readily Available to Public Elsewhere

<u>Document Number</u>	<u>Date Rcvd in Docket</u>	<u>Commentor, Addressee, Title or Description, etc.</u>	<u>Date of Document</u>
II-I-169		Market Trends - Electricity. Annual Energy Outlook 1999. < http://www.eia.doe.gov/oiaf/archive/aeo99/electricity.html >	10/31/02
II-I-170		Top 100 Power Marketer Rankings. PowerMarketers.com. < http://www.pmaconference.com/topmarketers/ > as accessed on 11/4/02	11/4/02

Stationary Combustion Turbines NESHAP
Docket No. A-95-51
Category II-K
ICCR FACA Work Products

<u>Document Number</u>	<u>Date Rcvd in Docket</u>	<u>Commentor, Addressee, Title or Description, etc.</u>	<u>Date of Document</u>
II-K-1		CT Work Group to the ICCR Coordinating Committee. Memorandum. Rationale for Development of MACT Floor for Existing CTs.	4/14/98
II-K-2		CT Work Group, to the ICCR Coordinating Committee. Memorandum. Gas Turbine HAPs Technology Workshop.	8/17/98
II-K-3		CT Work Group, to the ICCR Coordinating Committee. Memorandum. CTWG Pollution Prevention Considerations.	8/26/98
II-K-4		CT Work Group, to the ICCR Coordinating Committee. Memorandum. CTWG Subcategorization Report.	9/4/98
II-K-5		CT Work Group, to the ICCR Coordinating Committee. Memorandum. CTWG HAPs vs Criteria Pollutants Report.	9/4/98
II-K-6		CT Work Group, to the ICCR Coordinating Committee. Memorandum. Cost-Effectiveness of Oxidation Catalyst Control of HAP Emissions From Stationary CTs.	9/4/98
II-K-7		CT Work Group, to the ICCR Coordinating Committee. Memorandum. CTWG Model Turbine and Control Alternative Cost Analyses for Existing and New Sources Document.	9/4/98
II-K-8		CT Work Group, to the ICCR Coordinating Committee: Memorandum. CT Inventory and Emissions Databases.	9/4/98

Stationary Combustion Turbines NESHAP
Docket No. OAR-2002-0060
Category II-K
ICCR FACA Work Products

<u>Document Number</u>	<u>Date Rcvd in Docket</u>	<u>Commentor, Addressee, Title or Description, etc.</u>	<u>Date of Document</u>
II-K-9		<p>F. Porter, EPA Co-Chair, and R. Anderson, Stakeholder Co-Chair, ICCR Coordinating Committee, to R. Wilson, EPA: OAR. Recommendations developed by the ICCR Coordinating Committee.</p> <p>Attachments are as follows: Enclosure III contains the Committee's recommendations on a list of pollutants for which to test in any additional emission testing for CT.</p> <p>The remaining attachments are not included because they do not pertain to combustion turbines. A complete set of attachments is contained in Docket A-96-17, Item II-L-1.</p>	12/17/97

Stationary Combustion Turbines NESHAP
Docket No. OAR-2002-0060
Category II-K
ICCR FACA Work Products

<u>Document Number</u>	<u>Date Rcvd in Docket</u>	<u>Commentor, Addressee, Title or Description, etc.</u>	<u>Date of Document</u>
II-K-10		<p>R. Anderson, Stakeholder Co-Chair, ICCR Coordinating Committee and F. Porter, EPA Co-Chair, ICCR Coordinating Committee, to R. Wilson, EPA: OAR. Recommendations developed by the ICCR Coordinating Committee.</p> <p>Attachments are as follows: V contains CT MACT Floor for Existing Sources recommendations. VI contains CT emissions Testing recommendations.</p> <p>The remaining attachments are not included because they do not pertain to combustion turbines. A complete set of attachments is contained in Docket A-96-17, Item II-L-3.</p>	6/5/98
II-K-11		CT Work Group to the ICCR Coordinating Committee. Memorandum. Preliminary Results from Natural Gas-Fired CT Testing.	9/4/98
II-K-12		CT Work Group to the ICCR Coordinating Committee. Memorandum. CTWG Gas-Fired CT MACT Considerations.	9/4/98

Stationary Combustion Turbines NESHAP
Docket No. OAR-2002-0060
Category II-K
ICCR FACA Work Products

<u>Document Number</u>	<u>Date Rcvd in Docket</u>	<u>Commentor, Addressee, Title or Description, etc.</u>	<u>Date of Document</u>
II-K-13		<p>R. Anderson, Stakeholder Co-Chair, ICCR Coordinating Committee, and F. Porter, EPA Co-Chair, ICCR Coordinating Committee, to R. Perciasepe, EPA:OAR. Recommendations of the ICCR Coordinating Committee.</p> <p>Attachments are as follows: I contains the List of Works-In-Progress and Data/Information. These items are located in this section K of this docket.</p> <p>V contains the Cost of Oxidation Catalyst Control of HAP Emissions From Stationary CT.</p> <p>VI contains recommendations on Interpreting and Using Emissions Databases Containing Non-Detection Values.</p> <p>The remaining attachments are not included because they do not pertain to combustion turbines. A complete set of attachments is contained in Docket A-96-17, Item II-L-5a.</p>	11/24/98
II-K-14		ICCR Coordinating Committee to EPA:OAR. Database on CD. Inventory Database Version 3.0 and Associated Documentation Tables, including Version 2.0 (Turbines Only) - General ICCR Data/Information.	11/24/98
II-K-15		ICCR Coordinating Committee to EPA:OAR. Database on CD. Refined Inventory Database - CT Data/Information.	11/24/98
II-K-16		ICCR Coordinating Committee to EPA:OAR. Database on CD. Emission Test Database v. 3.0 - CT Data/Information.	11/24/98

Stationary Combustion Turbines NESHAP
Docket No. OAR-2002-0060
Category II-K
ICCR FACA Work Products

<u>Document Number</u>	<u>Date Rcvd in Docket</u>	<u>Commentor, Addressee, Title or Description, etc.</u>	<u>Date of Document</u>
II-K-17		ICCR Coordinating Committee to EPA:OAR. Database on CD. Additional Inventory and Survey Data from AMSA - General ICCR Data/Information.	11/24/98
II-K-18		ICCR Coordinating Committee to EPA:OAR. A Review of Formaldehyde Measurements by the DNPH Methods - Testing and Monitoring Protocol Data/Information.	11/24/98
II-K-19		ICCR Coordinating Committee to EPA:OAR. Discussion of Real Time Measurement options to IC Engine SWG - Testing and Monitoring Protocol Data/Information.	11/24/98
II-K-20		ICCR Coordinating Committee to EPA:OAR. Typical Products of Incomplete Combustion (PICs) from Industrial Combustion sources that are also HAPs - Testing and Monitoring Protocol Data/Information.	11/24/98
II-K-21		ICCR Coordinating Committee to EPA:OAR. Review of Compliance Test Methods for Determining Formaldehyde Emissions from IC Engines and Turbines with Potential Application to Other Combustion Sources - Testing and Monitoring Protocol Data/Information.	11/24/98
II-K-22		ICCR Coordinating Committee to EPA:OAR. CC Guidance to Work Groups on Operator Training/Qualification - General ICCR Works-In-Progress.	11/24/98
II-K-23		ICCR Coordinating Committee to EPA:OAR. CC Guidance to Work Groups on Metrics which Encourage Pollution Prevention - General ICCR Works-In-Progress.	11/24/98

Stationary Combustion Turbines NESHAP
Docket No. OAR-2002-0060
Category II-K
ICCR FACA Work Products

<u>Document Number</u>	<u>Date Rcvd in Docket</u>	<u>Commentor, Addressee, Title or Description, etc.</u>	<u>Date of Document</u>
II-K-24		ICCR Coordinating Committee to EPA:OAR. CC Guidance to Work Groups on Pollution Prevention Regulatory Options - General ICCR Work-In-Progress.	11/24/98
II-K-25		ICCR Coordinating Committee to EPA:OAR. Guidance on Good Combustion Practices - General ICCR Work-In-Progress.	11/24/98
II-K-26		ICCR Coordinating Committee to EPA:OAR. Pollution Prevention Subgroup Report on Fuel/Waste Constituent Levels and Fuel/Waste De Minimis Constituent Levels - General ICCR Work-In-Progress.	11/24/98
II-K-27		ICCR Coordinating Committee to EPA:OAR. Environmental Caucus Proposal for Regulatory Action - General ICCR Work-In-Progress.	11/24/98
II-K-28		ICCR Coordinating Committee to EPA:OAR. Chlorinated Dioxin and Furan Formation, Control and Monitoring - General ICCR Data/Information.	11/24/98